

“LEADER IN HOSPITAL CARE PRODUCTS FOR OVER 60 YEARS”



**SSCI**

**SUBURBAN SURGICAL Co., INC.**

275 Twelfth Street, Wheeling, IL 60090

All intellectual material, including the text, graphics and other components of this catalog are Copyrighted by SSCI.  
Any use or duplication of these intellectual materials, without written consent by SSCI, is strictly forbidden.

# FOOT STOOLS

**Our** Foot Stools feature rugged sturdiness. The Deck's non-slip surface and reinforced construction combine to create a stable, rigid platform. The "flared-out" unitized Leg design prevents tipping.

## Construction

Deck: 16 gauge, cold rolled steel, galvanized finish

Frame: 14 gauge, stainless steel, type 304

Legs: 16 gauge, 1" diameter tubular stainless steel, type 304

Mat: Vinyl, ribbed back

Floor Tips: 1" ID, rubber, black

The deck is one-piece with front, back and both ends flanged down

The frame is one-piece, bends are mandrill-bent for wrinkle-free bends.

Two legs/deck supports are butted together and heli-arc welded creating unitized legs.

Mat is laminated to the deck's top surface, flush with the frame's retaining edge.



P/N	OVERALL SIZE		
	L	W	H
<b>Single Step Foot Stool</b>			
108330-00	16"	12"	8.25"
108331-00	30"	12"	8.25"

P/N	OVERALL SIZE		
	L	W	H
<b>Two Step Foot Stool</b>			
108332-00	16"	24"	16.50"
108333-00	30"	24"	16.50"



**Foot Stools with Hand Rails**

SUBURBAN SURGICAL foot stools feature rugged sturdiness. The Deck's non-slip surface and reinforced construction combine to create a stable, rigid platform. The "flared-out" unitized Leg design prevents tipping. The welded-on Hand Rail creates added stability and security.



P/N	L	OVERALL SIZE	
		W	H
<b>Single Step Foot Stool</b>			
108330-01	16"	13.75"	38.625"
108331-01	30"	13.75"	38.625"

P/N	L	OVERALL SIZE	
		W	H
<b>Two Step Foot Stool</b>			
108332-01	16"	25"	47"
108333-01	30"	25"	47"

# Foot Stools

## Stack and Lock Foot Stools

Our Stack and Lock Foot Stools feature rugged sturdiness. The non-slip Vinyl Surface top, solid Stainless Steel construction, and Rubber Floor Tips combine to create a stable, rigid, transportable (and stackable) stool. Each Stack and Lock Foot Stool is designed to lock together with another Stack and Lock Foot Stool either side to side or front to back and be stacked on top of another. The handy Transport and Storage Cart holds up to 6 Stack and Lock Foot Stools.



P/N	OVERALL SIZE		
	L	W	H
<b>Stack and Lock Foot Stool</b>			
108335-00	18"	12"	5"

P/N	OVERALL SIZE		
	L	W	H
<b>Transport &amp; Storage Cart for Stack and Lock Foot Stool</b>			
222763-00	21.097"	12.150"	39"



## Materials:

### Foot Stool:

- Deck:** 16 gauge, cold rolled steel, galvaneal finish
- Plate:** 18 gauge, stainless steel, type 304, 2B finish
- Frame:** 14 gauge, stainless steel, type 304, #4 finish
- Legs/Deck Support:** 16 gauge, 1" dia. tubular stainless steel, type 304, buffed finish
- Hand Rail:** 16 gauge, 1" dia. tubular stainless steel, type 304, buffed finish
- Mat:** vinyl, ribbed, black
- Floor Tips:** 1" I.D., rubber, black

## Construction:

### Foot Stool:

- Deck:** one piece with front, back, and both ends flanged down
- Plate:** spot-welded to underside of Deck
- Frame:** one piece; formed into rectangular shape; ends are butted and fully heli-arc welded; welds are ground smooth and polished to a uniform finish; Frame is spot welded to front, back, and end flanges of Deck creating a retaining edge to frame the Mat
- Legs/Deck Support:** one piece; bends are mandrill-bent for wrinkle-free bends; two Legs/Deck Supports are butted together and heli-arc welded creating unitized Legs; unitized Legs are heli-arc welded to Deck's underside Plate (welds are concealed)
- Hand Rail:** one piece "U"-shaped; bends are mandrill-bent for wrinkle-free bends; heli-arc welded to Deck Frame; welds are polished to a uniform finish
- Mat:** laminated to Deck's top surface flush with Frame's retaining edge
- Floor Tips:** inserted onto ends of Legs

## Materials:

### Stack and Lock Foot Stool:

- Deck:** 14 gauge, stainless steel, type 304, 2B finish
- Frame:** 14 gauge, stainless steel, type 304, #4 finish
- Legs/Deck Support:** 16 gauge, 1" dia. tubular stainless steel, type 304, buffed finish
- Hand Rail:** 16 gauge, 1" dia. tubular stainless steel, type 304, buffed finish
- Mat:** vinyl, ribbed, black
- Floor Tips:** 1" I.D., rubber, black

## Construction:

### Foot Stool:

- Deck:** one piece with front, back, and both ends flanged down
- Plate:** spot-welded to underside of Deck
- Frame:** one piece; formed into rectangular shape; ends are butted and fully heli-arc welded; welds are ground smooth and polished to a uniform finish; Frame is spot welded to front, back, and end flanges of Deck creating a retaining edge to frame the Mat
- Legs/Deck Support:** one piece; bends are mandrill-bent for wrinkle-free bends; two Legs/Deck Supports are butted together and heli-arc welded creating unitized Legs; unitized Legs are heli-arc welded to Deck's underside Plate (welds are concealed)
- Mat:** laminated to Deck's top surface flush with Frame's retaining edge
- Floor Tips:** inserted onto ends of Legs