"LEADER IN ANIMAL CARE PRODUCTS FOR OVER 60 YEARS"



3361

SUBURBAN SURGICAL CO., INC.

275 Twelfth Street, Wheeling, IL 60090

All intellectual material, including the text, graphics and other components of this catalog are Copyrighted by SSCI. Any use or duplication of these intellectual materials, without written consent by SSCI, is strictly forbidden.

Catalog No. 702488-0308

STAINLESS STEEL BATHING TABLES

A WIDE VARIETY OF MODELS MAKE SSCI YOUR BEST SOURCE FOR TOP-QUALITY BATHING TABLES

Efficient bathing equipment is an essential component of virtually every pet care facility. Whether your business specializes in regular preventative care, emergency services, boarding or grooming, you'll build customer satisfaction when you send your clients home from your facility bathed, groomed and sweet smelling.

That's why we offer an amazing number of bathing table combinations. We want you to be able to choose the exact bathing table configuration you need to be able to efficiently bathe the animals in your care. Select a Bathing Table with the faucet on left, back or right. You can even specify exactly which splash shields you need to minimize water damage from over spray. Our Classic series Bathing Tables are designed to allow the most comfortable working height.





But that's not all. We even offer Bathing Table tubs with an easy access door located on the right or left side with a rotating walk-up ramp. You'll never have to lift a heavy, wet animal in or out of the tub again. Imagine the convenience!

The entire Table — Tub, Splash Shields and Base — is made of Type 304 stainless steel, heli-arc welded for superior strength. All welds are ground smooth, and the entire tub assembly features a uniform, non-glare finish.

Splash Shields

One-piece Side Splash Shields with .750-in. (1.90cm) radius corners, and bottom lip that overlaps the tub edge keeps water away from walls.

Splash Shield section behind faucet is prepunched for easy faucet installation.

Splash Shields measure 27-in. high (68.58cmH). Wall-mounted faucets and drains are sold separately, see Faucet Section.

Tub

.750-in. (1.90cm) radius bends on all sides and bottom give tub a smooth, easy-to-clean interior surface.

.750-in. (1.90cm) covered corners eliminate accumulation of dirt and debris.

Seams are fully crevice-free welded.

All welds are ground smooth, and the entire tub assembly features a uniform, non-glare finish.

3.5-in. (8.89cm) dia. opening for standard drain.

Bottom slopes 1 in. to drain.

Tub is 16-gauge, Type 304 Stainless Steel Tubular legs are Stainless steel, Type 304, satinfinished, 1.25-in. (3.17cm) dia. Adjustable floor levelers help keep table steady on uneven floors. Base design allows tub to sit flush against wall. All welds are ground and polished to a smooth, crevice-free, satin finish.



Die-formed wraparound apron holds tub steady on frame and is Stainless Steel, Type 304, 16-gauge.

Apron's corners are fully crevice-free welded.

Legs are fully circumference welded to the apron.

Tubular crossmembers are Stainless Steel, Type 304, satinfinished, 1-in. (2.54cm) dia.


Crossmember's ends are coped following the circumference of the tubing at each joint for strongest fit and are circumference welded.

Left Wall Longitudinal Tub 15 Drain Left, Splash Shield Left End with Holes for Faucet

P/N	WIDTH	
	ln.	Cm
Holes on 8-in. centers for fauce	t	
13020-LA-HJJRDR	48W	121.92W
13020-LA-JFJRDR	60W	152.40W
Holes for single lever faucet		
13020-LE-HJJRDR	48W	121.92W
13020-LE-JFJRDR	60W	152.40W


A = Tables Without a Back Splash 24-in (60.96cm)

A = Tables With a Back Splash 25.250-in (64.135cm)



Left Corner Tub 15 Drain Left, Splash Shields Left End & Back, Left End with Holes for Faucet

P/N	WIDTH	
	In.	Cm
Holes on 8-in. centers for faucet		
13020-LB-HJJRDW	48W	121.92W
13020-LB-JFJRDW	60W	152.40W
Holes for single lever faucet		
13020-LF-HJJRDW	48W	121.92W
13020-LF-JFJRDW	60W	152.40W




Alcove Tub 15 Drain Left, Splash Shields Left End, Right End & Back, Left End with Holes for Faucet

P/N	WIDTH	
	ln.	Cm
Holes on 8-in. centers for faucet		
13020-LC-HJJRDW	48W	121.92W
13020-LC-JFJRDW	60W	152.40W
Holes for single lever faucet		
13020-LG-HJJRDW	48W	121.92W
13020-LG-JFJRDW	60W	152.40W


Right Wall Longitudinal Tub 15 Drain Right, Splash Shield Right End with Holes for Faucet

P/N	WIDTH	
	ln.	Cm
Holes on 8-in. centers for faucet		
13021-RA-HJJRDR	48W	121.92W
13021-RA-JFJRDR	60W	152.40W
Holes for single lever faucet		
13021-RE-HJJRDR	48W	121.92W
13021-RE-JFJRDR	60W	152.40W
13021-KE-JFJKDR	OUVV	132.7011




Right Corner Tub 15 Drain Right, Splash Shields Right End & Back, Right End with Holes for Faucet


Holes on 8-in. centers for	faucet		
13021-RB-HJJRDW	48W	121.92W	
13021-RB-JFJRDW	60W	152.40W	
Holes for single lever fauc	et		
13021-RF-HJJRDW	48W	121.92W	
13021-RF-JFJRDW	60W	152.40W	
, ,			



Alcove Tub 15 Drain Right, Splash Shields Right End, Left End & Back, Right End with Holes for Faucet


P/N	ln.	WIDTH In. Cm		
Holes on 8-in. centers for	faucet			
13021-RC-HJJRDW	48W	121.92W		
13021-RC-JFJRDW	60W	152.40W		
Holes for single lever fau	cet			
13021-RG-HJJRDW	48W	121.92W		
13021-RG-JFJRDW	60W	152.40W		






Back Wall Lateral Tub 15 Drain Left, Splash Shield Back with Holes for Faucet

P/N		WIDTH	
	ln.	Cm	
Holes on 8-in. centers for	faucet		
13020-BA-HJJRDW	48W	121.92W	
13020-BA-JFJRDW	60W	152.40W	
Holes for single lever fauc	et		
13020-BE-HJJRDW	48W	121.92W	
13020-BE-JFJRDW	60W	152.40W	



Left Corner Tub 15 Drain Left, Splash Shields Back & Left End, Back with Holes for Faucet

P/N		WIDTH	
	ln.	Cm	
Holes on 8-in. centers for fau	cet		
13020-BB-HJJRDW	48W	121.92W	
13020-BB-JFJRDW	60W	152.40W	
Holes for single lever faucet			
13020-BF-HJJRDW	48W	121.92W	
13020-BF-JFJRDW	60W	152.40W	




Alcove Tub 15 Drain Left, Splash Shields Back, Left End & Right End, Back with Holes for Faucet

P/N	WIDTH		
	In.	Cm	
Holes on 8-in. centers for fauc	et		
13020-BD-HJJRDW	48W	121.92W	
13020-BD-JFJRDW	60W	152.40W	
Holes for single lever faucet			
13020-BH-HJJRDW	48W	121.92W	
13020-BH-JFJRDW	60W	152.40W	


17

Back Wall Lateral Tub 15 Drain Right, Splash Shield Back with Holes for Faucet




Right Corner Tub 15 Drain Right, Splash Shields Back & Right End, Back with Holes for Faucet

P/N		WIDTH	
	ln.	Cm	
Holes on 8-in. centers for	faucet		
13021-BC-HJJRDW	48W	121.92W	
13021-BC-JFJRDW	60W	152.40W	
Holes for single lever fauc	et		
13021-BG-HJJRDW	48W	121.92W	
13021-BG-JFJRDW	60W	152.40W	



Alcove Tub 15 Drain Right, Splash Shields Back, Left End & Right End, Back with Holes for Faucet

P/N		WIDTH	
	ln.	Cm	
Holes on 8-in. centers for fau	ıcet		
13021-BD-HJJRDW	48W	121.92W	
13021-BD-JFJRDW	60W	152.40W	
Holes for single lever faucet			
13021-BH-HJJRDW	48W	121.92W	
13021-BH-IFIRDW	60W	152.40W	



17

Classic Bathing Table Stainless Steel Enclosure







Tub Panels

The Enclosure's panels are manufactured using Type 304 Stainless Steel with #4 satin finish.

Enclosure tucks up under the lip of the Classic Bathing Table and clamps to the Table's tubular legs.

The End Panels on the Enclosure are butted to the Sliding Door Front and Back Panel when applicable. This provides a finished look to the Enclosure.

The Sliding Doors double wall construction eliminates sharp edges and is manufactured using Type 304 Stainless Steel with a #4 satin finish. Finger Pulls allow easy opening and closing.

The Sliding Doors allows easy access to store items under the Classic Bathing Table on the facility's floor.


Enclosure configuration shown is F2

Classic Bathing Table Stainless Steel Accessories

Stainless Steel Front, End or Back Panels give the Classic Bathing Table that finished look to match your decor. The Optional Sliding Panels on the front provide you with additional storage for products and materials. All Enclosure panels are 36-in. (91.44cm) high.

P/N		ABLE STYLE
STAINLESS STEEL ENCLOSURES	Inches	Centimeters
Sliding Door Front for Alcove		
13110-F1-HJFNAT	48W	121.92W
13110-F1-JFFNAT	60W	152.40W
Left End Panel & Sliding Door From	t for Left Cor	ner
13110-F2-HJFNDW	48W	121.92W
13110-F2-JFFNDW	60W	152.40W
Sliding Door Front & Right End Pa	nel for Right (Corner
13110-F3-HJFNDW	48W	121.92W
13110-F3-JFFNDW	60W	152.40W
Left End Panel, Sliding Door Front	& Right End F	Panel for Lateral
Wall	a mgm zma .	uner for Euterun
13110-F4-HJFNDW	48W	121.92W
13110-F4-JFFNDW	60W	152.40W
Sliding Door Front, End & Back Pa	nel for Longiti	udinal Left Wall
13110-F6-HJFNDR	48W	121.92W
13110-F6-IFFNDR	60W	152.40W
Sliding Door Front, End & Back Pa	nel for Longity	udinal Pight Wall
13110-F7-HJFNDR	48W	121.92W
13110-F7-IFFNDR	60W	152.40W
Sliding Door Front, End Panel & Sli	ding Door Ba	CK FOR LONGITUDINAL 121.92W
13110-F8-HJFNDR 13110-F8-JFFNDR	48W 60W	121.92W 152.40W
ו זווט-רס-ןררואטיג	OUVV	132.4000

Top Views of Enclosure Configurations



Enclosure tucks up under the lip of the Classic Bathing Table and clamps to the Table's tubular legs.

The End Panels on the Enclosure are butted to the Sliding Door Front and Back Panel when applicable. This provides a finished look to the Enclosure.


The Sliding Doors are manufactured using moisture resistant particle board, with the exterior and interior surfaces and edges laminated with high-pressure plastic laminate. Finger Pulls allow easy opening and closing.

The Sliding Doors allows easy access to store items under the Classic Bathing Table on the facility's floor.

The Laminate cabinets are easy to maintain.



Top Views of Enclosure Configurations



Classic Bathing Table Laminate Accessories

Laminate Front, End or Back Panels give the Classic Bathing Table that finished look to match your decor. The Optional Sliding Panels on the front provide you with additional storage for products and materials. All Enclosure panels are 36-in. (91.44cm) high.

P/N		ABLE STYLE
LAMINATE ENCLOSURES	Inches	Centimeters
Sliding Door Front for Alcove		
13120-F1-HJFNAT	48W	121.92W
13120-F1-JFFNAT	60W	152.40W
Left End Panel & Sliding Door F	ront for Left Cor	ner
13120-F2-HJFNDW	48W	121.92W
13120-F2-JFFNDW	60W	152.40W
Sliding Door Front & Right End	Panel for Right (Corner
13120-F3-HJFNDW	48W	121.92W
13120-F3-JFFNDW	60W	152.40W
Left End Panel, Sliding Door Fro	ont & Right End F	Panel for Lateral
Wall	-	
13120-F4-HJFNDW	48W	121.92W
13120-F4-JFFNDW	60W	152.40W
Sliding Door Front, End & Back	Panel for Longitu	udinal Left Wall
13120-F6-HJFNDR	48W	121.92W
13120-F6-JFFNDR	60W	152.40W
Sliding Door Front, End & Back	Panel for Longit	udinal Right Wall
13120-F7-HJFNDR	48W	121.92W
13120-F7-JFFNDR	60W	152.40W
Sliding Door Front, End Panel &	Sliding Door Ba	ck for Longitudina
13120-F8-HJFNDR	48W	121.92W
13120-F8-JFFNDR	60W	152.40W

ection

Classic Bathing Tables with Access Door and Rotating Ramp

Bathing Table

One-piece Tub/Side Splash Shields with .750-in. (1.90cm) radius corners, and bottom lip that overlaps the tub edge keeps water away from walls.

Single lever faucet/mixing valve allows you to preset your maximum temperature setting.

.750-in. (1.90cm) radius bends on all sides and bottom give tub a smooth, easy-to-clean interior surface.

.750-in. (1.90cm) covered corners eliminate accumulation of dirt and debris.

Seams are fully crevice-free welded.

All welds are ground smooth, and the entire tub assembly features a uniform, non-glare finish.

3.5-in. (8.89cm) dia. opening for standard drain.

Bottom slopes 1 in. to drain.

Tub is 16-gauge, Type 304 Stainless Steel



Design

Exclusive one-piece design incorporates .750-in. coved inside corners and .750-in. radius bends on tub and splash shields

Base

Tubular legs and crossmembers are Stainless Steel, Type 304, satinfinished.

Crossmember ends are coped following the circumference of the tubing at each joint for strongest fit and are circumference welded.

Stainless Steel adjustable floor levelers help keep table steady on uneven floors.

All welds are ground and polished to a smooth, crevice-free, satin finish.

Access Door & Rotating Ramp


Rotating walk-up ramp has non-slip dura-grid surface which provides traction wet or dry. Stainless steel hinged door swings in to allow for easy entry and exit. Includes heavy-duty, spring-loaded, self-latching positive door catch designed and used exclusively by Suburban Surgical.

Access door and rotating ramp are available on left or right side.

Tub 15, Drain Left, Access Door Right, Splash Shield Left End with Holes for Faucet


P/N	WIDTH		
	ln.	Cm	
Holes on 8-in. centers for faucet			
13022-LA-HJJRDR	48W	121.92W	
13022-LA-JFJRDR	60W	152.40W	
Holes for single lever faucet			
13022-LE-HJJRDR	48W	121.92W	
13022-LE-JFJRDR	60W	152.40W	

24-in (60.96cm) 25.250-in (64.135cm)




Tub 15, Drain Left, Access Door Right, Splash Shields Left End & Back, Left End with Holes for Faucet

P/N	WIDTH		
	ln.	Cm	
Holes on 8-in. centers for fauce	t		
13022-LB-HJJRDW	48W	121.92W	
13022-LB-JFJRDW	60W	152.40W	
Holes for single lever faucet			
13022-LF-HJJRDW	48W	121.92W	
13022-LF-JFJRDW	60W	152.40W	




Tub 15, Drain Left,
Access Door Right,
Splash Shields Left End,
Right End & Back,
Left End with Holes for Faucet

P/N	WIDTH		
	ln.	Cm	
Holes on 8-in. centers for fa	aucet		
13022-LC-HJJRDW	48W	121.92W	
13022-LC-JFJRDW	60W	152.40W	
Holes for single lever fauce	t		
13022-LG-HJJRDW	48W	121.92W	
13022-LG-JFJRDW	60W	152.40W	




Tub 15, Drain Right, Access Door Left, Splash Shield Right End with Holes for Faucet

P/N	WIDTH		
	ln.	Cm	
Holes on 8-in. centers for faucet			
13023-RA-HJJRDR	48W	121.92W	
13023-RA-JFJRDR	60W	152.40W	
Holes for single lever faucet			
13023-RE-HJJRDR	48W	121.92W	
13023-RE-JFJRDR	60W	152.40W	



Tub 15, Drain Right, Access Door Left, Splash Shields Right End & Back, Right End with Holes for Faucet

WIDTH		
In.	Cm	
faucet		
48W	121.92W	
60W	152.40W	
et		
48W	121.92W	
60W	152.40W	
	In. 48W 60W et 48W	In. Cm Faucet 48W 121.92W 60W 152.40W et 48W 121.92W




Tub 15, Drain Right,
Access Door Left,
Splash Shields Right End, Left
End & Back, Right End with
Holes for Faucet

P/N	WIDTH		
	In.	Cm	
Holes on 8-in. centers for faucet			
13023-RC-HJJRDW	48W	121.92W	
13023-RC-JFJRDW	60W	152.40W	
Holes for single lever faucet			
13023-RG-HJJRDW	48W	121.92W	
13023-RG-JFJRDW	60W	152.40W	


Tub 15, Drain Left, Access Door Right, Splash Shield Back with Holes for Faucet

P/N	WIDTH		
	ln.	Cm	
Holes on 8-in. centers for faucet			
13022-BA-HJJRDW	48W	121.92W	
13022-BA-JFJRDW	60W	152.40W	
Holes for single lever faucet			
13022-BE-HJJRDW	48W	121.92W	
13022-BE-JFJRDW	60W	152.40W	




Tub 15, Drain Left, Access Door Right, Splash Shields Back & Left End, Back with Holes for Faucet


P/N	WIDTH		
	ln.	Cm	
Holes on 8-in. centers for f	faucet		
13022-BB-HJJRDW	48W	121.92W	
13022-BB-JFJRDW	60W	152.40W	
Holes for single lever fauce	et		
13022-BF-HJJRDW	48W	121.92W	
13022-BF-JFJRDW	60W	152.40W	



Tub 15, Drain Left, Access Door Right, Splash Shields Back, Left End & Right End, Back with Holes for Faucet


ln.	WIDTH Cm	
faucet		
48W	121.92W	
60W	152.40W	
cet		
48W	121.92W	
60W	152.40W	
	In. 48W 60W cet 48W	faucet 48W 121.92W 60W 152.40W cet 48W 121.92W






Tub 15, Drain Right, Access Door Left, Splash Shield Back with Holes for Faucet

P/N	WIDTH		
	ln.	Cm	
Holes on 8-in. centers for fauce	t		
13023-BA-HJJRDW	48W	121.92W	
13023-BA-JFJRDW	60W	152.40W	
Holes for single lever faucet			
13023-BE-HJJRDW	48W	121.92W	
13023-BE-JFJRDW	60W	152.40W	



Tub 15, Drain Right,
Access Door Left,
Splash Shields Back & Right End,
Back with Holes for Faucet

P/N		WIDTH		
	ln.	Cm		
Holes on 8-in. centers for fa	aucet			
13023-BC-HJJRDW	48W	121.92W		
13023-BC-JFJRDW	60W	152.40W		
Holes for single lever fauce	t			
13023-BG-HJJRDW	48W	121.92W		
13023-BG-JFJRDW	60W	152.40W		



Tub 15, Drain Right,
Access Door Left,
Splash Shields Back, Left End
& Right End,
Back with Holes for Faucet

P/N	WIDTH		
	ln.	Cm	
Holes on 8-in. centers for faucet			
13023-BD-HJJRDW	48W	121.92W	
13023-BD-JFJRDW	60W	152.40W	
Holes for single lever faucet			
13023-BH-HJJRDW	48W	121.92W	
13023-BH-JFJRDW	60W	152.40W	

Stainless Steel Removable Bottom Racks

Fits into bottom of your bathing tub to give animals better footing during treatments. Allows water and loose hair and debris to flow through and down the drain away from the animal. Heavy-gauge stainless steel rack is welded at all intersections for strength and durability.

P/N	FITS TABLE STYLE			BATHING RACK SIZE (WxHxD)	
	In.	Cm	Inches		Centimeters
13100-00-GLAEDG	48W 1	21.92W	44.50 x 1.412 x	21.188 1	13.03 x 3.59 x 53.82
13100-00-IHAEDG	60W 1	52.40W	56.50 x 1.412 x	21.188 1	43.51 x 3.59 x 53.82





Coated Removable Bottom Racks

For greater animal comfort, choose this Coated Bathing Rack. Non-slip PVC coating over expanded metal gives animals surer footing for even greater security during bathing and bathing. Fits into bottom of tub and allows water and loose hair and debris to flow through and down the drain away from the animal.

P/N	FITS TABLE STYLE		BATHING RACK SIZE (WxHxD)	
	ln.	Cm	In.	Cm
13101-00-GLAEDG	48W	121.92W	44.50 x 3 x 21.188	113.03 x 7.62 x 53.82
13101-00-IHAEDG	60W	152.40W	56.50 x 3 x 21.188	143.51 x 7.62 x 53.82

Coated Removable Raised Working Surface

Fits into the top of the Classic bathing tub to raise small animals up for ease of bathing.

P/N		BATHING RACK SIZE (WxHxD)		
	Inches	Centimeters		
13102-00-DGAEDG	21.25 x 1.25 x 21.25	53.98 x 3.18 x 53.98		

