"LEADER IN ANIMAL CARE PRODUCTS FOR OVER 60 YEARS"



SUBURBAN SURGICAL CO., INC.

275 Twelfth Street, Wheeling, IL 60090

All intellectual material, including the text, graphics and other components of this catalog are Copyrighted by SSCI. Any use or duplication of these intellectual materials, without written consent by SSCI, is strictly forbidden.

Catalog No. 702488-0308

12

IMPERIAL/REGAL PREP-PROCEDURE/TREATMENT CENTERS

COMBINE COMPONENTS TO CREATE A WORKSTATIONS DESIGNED TO MEET ALL YOUR NEEDS



To give your work areas a fully-coordinated, professional appearance, simply combine a grouping of our Treatment and Prep-Procedure Tables into a highly-functional Prep-Procedure/Treatment Center.

There are a multitude of ways that you can create a Prep-Procedure/Treatment Center. Any Center you create is designed to be free-standing and accessible from three sides of each station, allowing it to be positioned anywhere in the room.

A single-station is a single Prep-Procedure or Treatment Table. For more flexibility create a two-station by abutting two tables together, or add a Base Cabinet between them to create more storage. You can even add a sink and faucet to the base cabinet.

Mount a Counter Top Chase above the base cabinet to conceal electric, water, oxygen and vacuum lines. You can attach an extra cabinet or cabinets, or mount diagnostic equipment and lights to the chase.

Or choose a Full-Height Chase to create a Center with one to four stations.

Then choose either Imperial laminated components or, for the ultimate in durability, choose our all-stainless steel Regal components.

Prep-Procedure/Treatment Centers can be configured with any the following components found within this catalog:

Prep-Procedure/Treatment Center

Prep-Procedure Table(s)

Faucet and Drains

Treatment Table(s)

Countertop Chase Prep-Procedure/Treatment Center

Prep-Procedure Table(s)

Faucet and Drains

Treatment Table(s)

Countertop Chase

Countertop

Base Cabinet

Full-Height Chase Prep-Procedure/Treatment Center

Prep-Procedure Table(s)

Faucet and Drains

Treatment Table(s)

Full-height Chase





Prep-Procedure/Treatment Centers

On this page and some of the following pages, there are ideas of how to configure Prep-Procedure/Treatment Centers using SSCI's Modular Cabinetry, Base Cabinetry, Counter Top Chase, Full-Height Chase and Prep-Procedure and Treatment Tables. Look over these ideas, if one does not suit your facility, then our design team will work with you to configure the perfect Prep-Procedure/Treatment Center for your facility.

Counter Top Chase Prep Procedure/Treatment Centers



In-Line-Arrangement, 1-Station



In-Line-Arrangement, 2-Station

Full-Height Chase Prep Procedure/Treatment Centers



In-Line-Arrangement, 1-station



In-Line-Arrangement, 2-Station



L-Arrangement, 2station



T-Arrangement, 3-Station



+-Arrangement, 4-Station

Section

IMPERIAL/REGAL COUNTER TOP CHASES ARE USED WITH IN-LINE AND CABINET ARRANGEMENT PREP-PROCEDURE/TREATMENT CENTERS:

Add a Countertop Chase to your In-line configured Prep-Procedure/Treatment Center or Cabinet Arrangement Prep-Procedure/Treatment Center for a convenient place to conceal electricity, oxygen, water and vacuum lines, making them readily available to each station within the Pre-Procedure/Treatment Center. Upper Cabinets can be mounted into an optional cabinet opening or surface-mounted to the Chase's exterior for even more flexibility and storage.

Counter Top Chases used with In-line Prep-Procedure/Treatment Centers require a Base Cabinet and counter top or Chases used with Cabinet Arrangements require SSCI's Modular Cabinetry (Section 18) to support the chase.

The Counter Top Chase consists of a column and adjustable collar, to accommodate various ceiling heights, and are shipped unassembled (four panels each) to reduce your shipping costs and for easier handling.

Collar

Available in 6 heights from 12-in. (30.48cm) to 54-in. (137.16cm) in 9-in. (22.86cm) increments to accommodate various height ceilings

Cabinet Opening

An Upper Cabinet Opening is optional in the Panel 1 for a recessed cabinet. Chase can be rotated to change cabinet location.

Column

57-in. high

Each of the four Panel's exterior and interior surfaces and edges are highpressure plastic laminate.

Surface Mount:

- Diagnostic equipment
- Lights
- Cabinet
- Electrical outlet
- Oxygen supply
- Vacuum outlet



New Product Check with SSCI for Picture



Imperial Laminated Counter Top Chase on Base Cabinet

Regal Stainless Steel Counter Top Chase on Base Cabinet

IMPERIAL/REGAL COUNTER TOP CHASE FEATURE THESE CONSTRUCTION DETAILS AND MATERIALS:

Imperial Chase are constructed of industrial-grade substrate and are machined on a CNC machine for accuracy. Chase Panels are mechanically-fastened to ensure a solid, sturdy chase. This type of construction allows for panel removal for future utility additions.

All chase interiors are finished with Thermo-Fused Melamine, making them water, odor and chemical-resistant.

All finished, exterior surfaces including the chase's edges are laminated with high-pressure plastic laminate, available in SSCI Standard colors, or SSCI optional colors or choose from a spectrum of customer-selected colors to blend with your décor.


Regal Chase panels are constructed of die-formed stainless steel, and are formed on a CNC machine for accuracy. Panels are engineered for tight-fitting joints. Joints are mechanically-fastened to ensure a solid, sturdy chase. This type of construction allows for panel removal for future utility additions.

All chase interiors are stainless steel, making them impervious to water and absorption of odors.

All stainless steel exterior is durable and easy to clean, satin finish.

Countertop Chase Configurations

Choose whether you want a plain column or a cabinet opening in one panel. Column can be rotated to change cabinet's location. Then, select the appropriate chase height for your facility's ceiling height. The collar will adjust from the low to high range of the Ceiling Height selected.



P/N IMPERIAL		P/N REGAL		CEILING	HEIGHTS		
LAMINATED		STAINLESS STEEL	WIDE	LOW	HIGH		DEEP
Plain; four panels							
HEAAAAAAACTPRBF	_†	UEAAAAAAACTPRBF	18-in. (45.72cm)	7-ft. 9-in.	thru 8-ft. 6-in.	(2.36m thru 2.59m)	8-in. (20.32cm)
HEAAAAAAACTRBBF	_†	UEAAAAAAACTRBBF	18-in. (45.72cm)	8-ft. 6-in.	thru 9-ft. 3-in.	(2.59m thru 2.82m)	8-in. (20.32cm)
HEAAAAAAACTSLBF	†	UEAAAAAAACTSLBF	18-in. (45.72cm)	9-ft. 3-in.	thru 10-ft 0-in.	(2.82m thru 3.05m)	8-in. (20.32cm)
HEAAAAAAACTTVBF	†	UEAAAAAAACTTVBF	18-in. (45.72cm)	10-ft 0-in.	thru 10-ft 9-in.	(3.05m thru 3.28m)	8-in. (20.32cm)
HEAAAAAAACTVFBF	_†	UEAAAAAAACTVFBF	18-in. (45.72cm)	10-ft 9-in.	thru 11-ft 6-in.	(3.28m thru 3.51m)	8-in. (20.32cm)
HEAAAAAAACTWPBF	†	UEAAAAAAACTWPBF	18-in. (45.72cm)	11-ft 6-in.	thru 12-ft 3-in.	(3.51m thru 3.73m)	8-in. (20.32cm)
Cabinet Opening; on	ie pa	nel					
HEBAAAAAACTPRBF	_†	UEBAAAAAACTPRBF	18-in. (45.72cm)	7-ft. 9-in.	thru 8-ft. 6-in.	(2.36m thru 2.59m)	8-in. (20.32cm)
HEBAAAAAACTRBBF	_†	UEBAAAAAACTRBBF	18-in. (45.72cm)	8-ft. 6-in.	thru 9-ft. 3-in.	(2.59m thru 2.82m)	8-in. (20.32cm)
HEBAAAAAACTSLBF	_†	UEBAAAAAACTSLBF	18-in. (45.72cm)	9-ft. 3-in.	thru 10-ft 0-in.	(2.82m thru 3.05m)	8-in. (20.32cm)
HEBAAAAAACTTVBF	_†	UEBAAAAAACTTVBF	18-in. (45.72cm)	10-ft 0-in.	thru 10-ft 9-in.	(3.05m thru 3.28m)	8-in. (20.32cm)
HEBAAAAAACTVFBF	_†	UEBAAAAAACTVFBF	18-in. (45.72cm)	10-ft 9-in.	thru 11-ft 6-in.	(3.28m thru 3.51m)	8-in. (20.32cm)
HEBAAAAAACTWPBF	†	UEBAAAAAACTWPBF	18-in. (45.72cm)	11-ft 6-in.	thru 12-ft 3-in.	(3.51m thru 3.73m)	8-in. (20.32cm)

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

†Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

IMPERIAL/REGAL CABINETRY FEATURES THESE HIGH-QUALITY CONSTRUCTION DETAILS AND MATERIALS:

Imperial Base and Upper Cabinet body panels are constructed of 45-lb. industrial-grade substrate, panels are machined on a CNC machine for accuracy. Panels are dadoed and rabbetted for tight-fitting joints. Joints are glued with adhesive impervious to liquids and mechanically-fastened to ensure a solid, sturdy cabinet.

All cabinet interiors are finished with Thermo-Fused Melamine, making them water, odor and chemical-resistant.

Drawer's steel sides feature integrated roller slides with baked-on, white epoxy finish. Drawer's back/bottom are .625-in. thick; open/close easily with 100 lb. load. 3D micro-adjustment ensures drawer alignment.

Door's positive-action, invisible hinges have self-closing mechanism, also holds door open. 3D micro-adjustment ensures door alignment.

Doors and drawer fronts have full width Aluminum Pulls.

All finished, exterior surfaces including the body's edges, drawer and cupboard door edges are laminated with high-pressure plastic laminate, available in SSCI Standard colors, or SSCI optional colors or choose from a spectrum of customer-selected colors to blend with your décor. Regal Base and Upper Cabinet body panels are constructed of die-formed stainless steel, panels are formed on a CNC machine for accuracy. Panels are engineered for tight-fitting joints. Joints are welded and mechanically-fastened to ensure a solid, sturdy cabinet.

All cabinet interiors are stainless steel, making them impervious to water and absorbing odors.

Drawer's front is double-wall stainless steel construction with a full-width pull incorporated into the design. Welded, one-piece drawer body is stainless steel with roller telescoping slides allow drawers to fully open/close easily with 100 lb. load.

Doors are double-wall stainless steel construction with a full-width pull incorporated into the design and and features positive-action invisible hinges which have self-closing mechanism, also holds door open. 3D micro-adjustment ensures door alignment.

Doors and drawer fronts have full width Stainless Steel Pulls.

All stainless steel exterior/interior is durable and easy to clean, satin finish.

"D"-Style Drawer or False Front and 1 Door Hinged Left or Right

Cabinet with false front, no shelf to accommodate a sink.

Width: 24-in. (60.96cm) Height: 34.50-in.(87.63cm) Depth: 24-in. (60.96cm)





"D"-Style Drawer or False Front and Pair of Doors

Cabinet with false front, no shelf to accommodate a sink.

Width: 24-in. (60.96cm) Height: 34.50-in.(87.63cm) Depth: 24-in. (60.96cm)

P/N	CABINET STYLE
Imperial Laminated Cabinet; Drawer, 1 Adjustable Shelf	
ARDSAEAHCDRFHDM †	With Drawer
ARFSAEAHCDRFHDM †	With False Front
Regal Stainless Steel Cabinet; Drawer, 1 Adjustable Shelf	
NRDSAEAHCDRFHDM	With Drawer
NRFSAEAHCDRFHDM	With False Front



in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

† Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available



1 Door Hinged Left or Right

Width: 24-in. (60.96cm) Height: 34.50-in. (87.63cm) Depth: 24-in. (60.96cm)

P/N Hinged Left

Hinged Right

Imperial Laminated Cabinet; 1 Adjustable Shelf ARANAEAHCDRFHDM -_ _ _ † ARAOAEAHCDRFHDM -_ Regal Stainless Steel Cabinet; 1 Adjustable Shelf NRANAEAHCDRFHDM NRAOAEAHCDRFHDM

Pair of Doors

Width: 24-in. (60.96cm) Height: 34.50-in.(87.63cm) Depth: 24-in. (60.96cm)

P/N

Imperial Laminated Cabinet; 1 Adjustable Shelf

ARAPAEAHCDRFHDM -_ _ _ _ †

Regal Stainless Steel Cabinet; 1 Adjustable Shelf

NRAPAEAHCDRFHDM





3 "F"-Style Drawers

Width: 24-in. (60.96cm) Height: 34.50-in. (87.63cm) Depth: 24-in. (60.96cm)

P/N

Imperial Laminated Cabinet ARCBAEAHCDRFHDM -_ _ _ _ † Regal Stainless Steel Cabinet NRCBAEAHCDRFHDM

4 "D"-Style Drawers

Width: 24-in. (60.96cm) Height: 34.50-in. (87.63cm) Depth: 24-in. (60.96cm)

P/N

Imperial Laminated Cabinet ARCOAEAHCDRFHDM -_ _ _ † Regal Stainless Steel Cabinet **NRCOAEAHCDRFHDM**



in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time: *Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes. SSCI laminated products are available

Section

Countertops For Imperial/Regal Base Cabinets



Imperial Counter top for Base Cabinet

Countertop

Countertop designed for use with base cabinets that fit between two stations in In-Line Prep-Procedure/Treatment Centers,. The surface and all four edges are finished with high-pressure plastic laminate. The adjoining tables' counter tops abut against the edges of the base cabinet counter top. A stainless steel counter top is offered to match the stainless steel tops of abutted tables.

P/N		DESCRIPTION	DIMENSIONS
LAMINATED			
FCAJHABDRAAAAEL	†	With Sink Cut-out	24-in. (60.6cm) W, 1.5-in. (3.81cm) T, 29.125-in.(73.98cm) D
FCAJHAADRAAAAEL	†	Without Sink Cut-out	24-in. (60.6cm) W, 1.5-in. (3.81cm) T, 29.125-in.(73.98cm) D
STAINLESS STEEL			
SCAJHABDRAAAAEL		With Cut-out for sink	24-in. (60.6cm) W, 1.5-in. (3.81cm) T, 29.125-in.(73.98cm) D
SCAJHAADRAAAAEL		Without Sink Cut-out	24-in. (60.6cm) W, 1.5-in. (3.81cm) T, 29.125-in.(73.98cm) D



Imperial Counter top for Base Cabinet with Sink, Faucet and Drain $\label{eq:cabinet} % \begin{center} \begin{$

Stainless Steel Sink

Sink package includes sink, faucet and drain. Sized to fit the cutout in the counter top above.

P/N	DESCRIPTION
13337-00-CPAXBZ	Stainless Steel Sink, Faucet and Drain

in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

† Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available

One Upper cabinet can be mounted by sliding into Chase's ordered with an opening for a cabinet or, if two cabinets are preferred, one or both must be surface-mounted to the chase.

Surface-mounted cabinets require an End Panel for both sides to finish Upper Cabinet's exterior (see below).



Open

Open Cupboard with white interior.

Width: 12-in. (30.48cm) Height: 30-in. (76.20cm) Depth: 7.375-in. (18.73cm)

P/N

Imperial Laminated Cabinet; 2 Adjustable Shelves

AAAAAAAABVEPBD -_ _ _ †

Regal Stainless Steel Cabinet; 2 Adjustable Shelves

NAAAAAAABVEPBD

1 Door Hinged Left or Right

Width: 12-in. (30.48cm) Height: 30-in. (76.20cm) Depth: 8-in. (20.32cm)

P/N Hinged Left	Hinged Right
Imperial Laminated Cabin	et; 2 Adjustable Shelves
AAANAEAACBVEPBF †	AAAOAEAACBVEPBF †
Regal Stainless Steel Cabi	net; 2 Adjustable Shelves
NAANAEAACBVEPBF	NAAOAEAACBVEPBF





End Panels

Finishes exposed ends of Upper Cabinets when surface-mounted to chase.

P/N	Thickness	SIZE Height	Depth
Imperial Laminated			
DAOKAEAAAACEPBD†	.625 in. (1.59cm)	30 in. (76.20cm)	7.375 in. (18.73cm)
DAOKAEAAAACEPBF †	.625 in. (1.59cm)	30 in. (76.20cm)	8 in. (20.32cm)
Regal Stainless Steel			
QAOKAEAAAACEPBD	.625 in. (1.59cm)	30 in. (76.20cm)	8 in. (20.32cm)
QAOKAEAAAACEPBF	.625 in. (1.59cm)	30 in. (76.20cm)	8 in. (20.32cm)

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

† Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available

in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Section 12

In-Line Style, 1-Station Prep-Procedure/Treatment Center

7-ft. 1.625-in. (2.17m) W, 3-ft. .875-in.(.94m) H, 2-ft. 1-in. (.64m) D



Imperial Prep-Procedure/Treatment Center Components

- 0.1		201.00
P/N	DESCRIPTION	COLOR
		CABINET TOP
Imperial	6 Recessed-End Prep-Proced	ure Table
knee spa	ice, 3 drawers, 1 door hinged r	ight
L10AA04B	1U0E0A5	†
Imperial	Base Cabinet,	
1 door h	inged right	
ARAOAEAI	HCDRFHDM	†
Imperial	End Panel	
DROKAEA	DAACFHDP	†
Imperial	Counter Top without cutout	for sink
FCAJHAAD	DYAAAAEL	†
Faucet		
024601-E-	-Z-ZZ-V084-E*	
Drain		
024647-Z-	-Z- <u>77-7777-</u> Z*	
*Faucet an	d Drain shown, sold separately, see	Section 18 for selection.
	. , , , , , , , , , , , , , , , , , , ,	

Regal Prep-Procedure/Treatment Center Components

		CABINET TOP
Regal 6 R	ecessed-End Prep-Procedure Ta	ble
knee spa	ce, 3 drawers, 1 door hinged righ	t
Y10AA04B	1U0E0A5	
Regal Bas	e Cabinet,	
1 door hi	nged right	
NRAOAEA	HCDRFHDM	
Regal End	Panel	
QROKAEAI	DAACFHDP	
Regal Cou	ınter Top without cutout for si	nk
SCAJHAAD	YAAAAEL	
Faucet		
024601-E-2	Z-ZZ-V084-E*	
Drain		
024647-Z-	<u>Z-77-7777-</u> Z*	
*Faucet and	d Drain shown, sold separately, see Se	ction 18 for selection.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

†Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

In-Line Style, 2-Station Prep-Procedure/Treatment Center

10-ft. 2.625-in. (3.11m) W, 3-ft. .875-in.(.94m) H, 2-ft. 5.125-in. (.74m) D



Imperial Prep-Procedure/Treatment Center Components

P/N DES	CRIPTION	COLOR CABINET TOP
mperial 6 Recesse	ed-End Prep-Procedure Tabl	e
knee space, 3 drav	wers, 1 door hinged right	
L10AA04B1U0E0A5		†
mperial Recessed	-End Treatment Table	
1 door hinged left	t, 4 drawers, knee space	
_60HG01D0V0B1A5	5 Laminated Abutted Top	††
Faucet		
024601-E-Z-ZZ-V08	4-E*	
Drain		
024647-Z-Z-ZZ-ZZZ	⁷ Z-Z*	
*Faucet and Drain sh	own, sold separately, see Section 1	18 for selection.

Regal Prep-Procedure/Treatment Center Components

/N	DESCRIPTION		COL	OR
			CABINET	TOP
egal 6 F	Recessed-En	d Prep-Procedure Ta	ble	
knee spa	ace, 3 drawe	rs, 1 door hinged right	t	
10AA04E	31U0E0A5			
egal Re	cessed-End	Treatment Table		
1 door h	inged left, 4	drawers, knee space		
60HA01I	DOVOB1A5	Stainless Steel Abutted	d Тор	
aucet			•	
24601-E	-Z-ZZ-V084-F	*		
rain				
24647-Z	-Z-ZZ-ZZZZ-	Z*		
- aucet an	d Drain show	n, sold separately, see Sec	tion 18 for selection.	

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

†Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Section

In-Line Style, 2-Station Prep-Procedure/Treatment Center

12-ft. 5.25-in. (3.79m) W, 3-ft. .875-in.(.94m) H, 2-ft. 5.125-in. (.74m) D



Imperial Prep-Procedure/Treatment Center Components

P/N	DESCRI	PTION	TION		LOR
				CABINET	ТОР
Imperial	6 Recessed-E	nd Prep-Procedu	re Table		
knee spa	ice, 4 drawers	, 1 door hinged ri	ght		
L10HH04I	31V0E0A5			†	†
Imperial	Base Cabinet	t,			
1 door h	inged right				
ARAOAEA	HCDRFHDM			†	
Imperial	Recessed-End	d Treatment Tabl	le		
1 door h	inged left, 4 o	drawers, knee spa	ce		
L60HG01	DOVOB1A5	Laminated Abu	tted Top	†	†
Imperial	Counter Top	without cutout	for sink		
FCAJHAAE	PRAAAAEL				†
Faucet					
024601-E	Z-ZZ-V084-E*				
Drain					
024647-Z	-Z-ZZ-ZZZZ-Z [*]	ŧ			
*Faucet an	d Drain shown,	sold separately, see	Section 18 fo	or selection.	

Regal Prep-Procedure/Treatment Center Components

P/N	DESCRIPTION	COLOR CABINET TOP
Regal 6 F	Recessed-End Prep-Procedure Tabl	e
knee spa	ace, 4 drawers, 1 door hinged right	
/10HH04	B1V0E0A5	
Regal Ba	se Cabinet,	
1 door h	ninged right	
NRAOAE4	AHCDRFHDM	
Regal Re	cessed-End Treatment Table	
1 door h	ninged left, 4 drawers, knee space	
/60HA01I	DOVOB1A5 Stainless Steel Abutted	Гор
Regal Co	unter Top without cutout for sinl	(
SCAJHAAI	DRAAAAEL	
aucet		
024601-E	-Z-ZZ-V084-E*	
Drain		
124647-7	Z-Z-ZZ-ZZZ-Z*	

in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

† Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available

S e c t i o n

In-Line Style, 2-Station Prep-Procedure/Treatment Center

12-ft. 5.25-in. (3.79m) W, 8-ft. 6-in.(2.59m) H, 2-ft. 5.125-in. (.74m) D



Imperial Prep-Procedure/Treatment Center Components

P/N	DESCRI	PTION	CO CABINET	LOR TOP
•		nd Prep-Procedure Table		
		1 door hinged right		
L10HH04E			†	†
	Base Cabinet,			
	inged right			
	HCDRFHDM		†	
•		Treatment Table		
1 door h	inged left, 4 d	rawers, knee space		
L60HG01	D0V0B1A5	Laminated Abutted Top	†	†
Imperial	Counter Top	without cutout for sink		
FCAJHAAD	RAAAAEL			†
Imperial	Upper Cabine	et		
30-in. (7	6.20cm) open			
AAAAAAA	AABVEPBD		†	
Imperial	Counter Top	Chase with cabinet cuto	ut	
HEBAAAA	VACTPRBF		†	
Faucet				
024601-E-	Z-ZZ-V084-E*			
Drain				
024647-Z-	-Z-ZZ-ZZZ-Z*			
*Faucet an	d Drain shown,	sold separately, see Section 18	3 for selection.	

Regal Prep-Procedure/Treatment Center Components

P/N	DESCRIPTION	COLOR CABINET TOP
Regal 6 F	Recessed-End Prep-Procedure Tal	ple
knee spa	ace, 4 drawers, 1 door hinged right	
Y10HH04	B1V0E0A5	
Regal Ba	se Cabinet,	
1 door h	ninged right	
NRAOAEA	HCDRFHDM	
Regal Re	cessed-End Treatment Table	
1 door h	ninged left, 4 drawers, knee space	
Y60HA01I	DOVOB1A5 Stainless Steel Abutted	Торо
Regal Co	unter Top without Cutout for Si	nk
SCAJHAAD	DRAAAAEL	
Regal Up	per Cabinet	
30-in. (7	6.20cm) open	
NAAAAA	AABVEPBD	
Regal Co	unter Top Chase with Cabinet C	utout
UEBAAAA	AACTPRBF	
Faucet		
024601-E-	-Z-ZZ-V084-E*	
Drain		
024647-Z	-Z-ZZ-ZZZZ-Z*	
*Faucet an	nd Drain shown, sold separately, see Sec	tion 18 for selection.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time: †Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes. SSCI laminated products are available

For Product Information Call TOLL-FREE 1-800-323-7366 • (847) 537-9320 • Fax (847) 537-9061

in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

IMPERIAL/REGAL FULL-HEIGHT CHASES ARE USED WITH IN-LINE L, T OR + PREP-PROCEDURE/TREATMENT CENTERS:

A Full-height Chase allows you to create an In-line, L, T or + configured Prep-Procedure/Treatment Center for a convenient place to conceal electricity, oxygen, water and vacuum lines, making them readily available to each station within the Pre-Procedure/Treatment Center. Lower and Upper Cabinets can be mounted into optional cabinet openings or upper cabinets can be surface-mounted to the Chase's exterior for even more flexibility and storage.

The Full-Height Chase consists of a column and adjustable collar, to accommodate various ceiling heights, and are shipped unassembled (four panels each) to reduce your shipping costs and for easier handling.



Imperial Laminated Full-Height Chase



New Product Check with SSCI for Picture

> Regal Stainless Steel Full-Height Chase

12

IMPERIAL/REGAL FULL-HEIGHT CHASE FEATURE THESE CONSTRUCTION DETAILS AND MATERIALS:

Imperial Chase are constructed of industrial-grade substrate and are machined on a CNC machine for accuracy. Chase Panels are mechanically-fastened to ensure a solid, sturdy chase. This type of construction allows for panel removal for future utility additions.

All chase interiors are finished with Thermo-Fused Melamine, making them water, odor and chemical-resistant.

All finished, exterior surfaces including the chase's edges are laminated with high-pressure plastic laminate, available in SSCI Standard colors, or SSCI optional colors or choose from a spectrum of customer-selected colors to blend with your décor.

Regal Chase panels are constructed of die-formed stainless steel, and are formed on a CNC machine for accuracy. Panels are engineered for tight-fitting joints. Joints are mechanically-fastened to ensure a solid, sturdy chase. This type of construction allows for panel removal for future utility additions.

All chase interiors are stainless steel, making them impervious to water and absorption of odors.

All stainless steel exterior is durable and easy to clean, satin finish.


The Full-Height Chase stands on the floor and extends to the facility's ceiling. Use the chart on the next page to select the appropriate height chase. There are six heights available for ceiling heights from 7-ft. 9-in. (2.36m) thru 12-ft. 3-in. (3.73m)

Choose the type of material you want the chase to be; Imperial Laminated or Regal Stainless Steel.

The Chase is available with four panels plain; no cutouts for cabinets. Or, various cabinet cutout combinations can be specified. The following rules apply:

- 1) Only one panel of the chase can be cut out for a lower cabinet. You cannot place a table on the panel with a lower cabinet cutout.
- 2) The chase can be cut out for one upper cabinet on any panel. If two upper cabinet cutouts are preferred, they must be on opposing panels of the chase.
- 3) Upper cabinets can be surface-mounted on any panel in any combination; no cabinet cutouts are required.

'Panel One' is determined by where you will abut your first table. To decide where you will install cabinets in the chase, face 'Panel One'. The left panel is 'Panel Two', the back panel is 'Panel Three' and the right panel is 'Panel Four'.



Configurations For Full-Height Chase Prep-Procedure/Treatment Centers

USE OF PREP-PROCEDURE AND TREATMENT TABLES WITH THE FULL-HEIGHT CHASE

The illustrations below show the possible configurations using a Full-Height Chase. Panel One is identified in each drawing.


The solid line for each table depicts a Prep-Procedure Table with an abutted top or a Treatment Table, the dotted line depicts a Prep-Procedure Table with no top.

The dimensions included with the illustrations define the width and depth of each configuration using the Full-Height

Chase. The small dimension is based on the use of: 48-in. (121.92cm) table(s) with abutted top.

The larger dimension is based on the use of: 60-in. (152.40cm) table(s) with abutted top.

If you plan to use one 48-in. (121.92cm) table with abutted top instead of one 60-in. (152.40cm) table with abutted top, simply subtract 12-in. (30.48cm) from the larger W dimension.



Cabinet Cutouts Locations For Imperial/Regal Full-Height Chase

TO COMPLETE THE FULL-HEIGHT CHASE SPECIFICATIONS, CHOOSE CHASE HEIGHT AND CABINET CUTOUT LOCATIONS:

Full-Height Chase

Select the appropriate chase height for your facility's ceiling height. The collar will adjust from the low to high range of the Ceiling Height selected.

P/N IMPERIAL		P/N REGAL		CEILING HEIGI	HTS		
LAMINATED		STAINLESS STEEL	WIDE	LOW H	IGH		DEEP
HF ♦♦♦♦ AAAEPPREP	†	UF ♦♦♦♦ AAAEPPREP	30-in. (76.20cm)	7-ft. 9-in. thru 8-ft	t. 6-in.	(2.36m thru 2.59m)	30-in. (76.20cm)
HF ♦ ♦ ♦ ♦ AAAEPRBEP	†	UF <u>♦ ♦ ♦ ♦</u> AAAEPRBEP	30-in. (76.20cm)	8-ft. 6-in. thru 9-f	t. 3-in.	(2.59m thru 2.82m)	30-in. (76.20cm)
HF ♦ ♦ ♦ ♦ AAAEPSLEP	†	UF ♦ ♦ ♦ ♦ AAAEPSLEP	30-in. (76.20cm)	9-ft. 3-in. thru 10-	-ft 0-in.	(2.82m thru 3.05m)	30-in. (76.20cm)
HF ♦ ♦ ♦ ♦ AAAEPTVEP	†	UF <u>♦ ♦ ♦ ♦</u> AAAEPTVEP	30-in. (76.20cm)	10-ft 0-in. thru 10)-ft 9-in.	(3.05m thru 3.28m)	30-in. (76.20cm)
HF ♦ ♦ ♦ ♦ AAAEPVFEP	†	UF ♦ ♦ ♦ ♦ AAAEPVFEP	30-in. (76.20cm)	10-ft 9-in. thru 11	-ft 6-in.	(3.28m thru 3.51m)	30-in. (76.20cm)
HF ♦ ♦ ♦ ♦ AAAEPWPEP-	†	UF ♦ ♦ ♦ ♦ AAAEPWPEP	30-in. (76.20cm)	11-ft 6-in, thru 12	2-ft 3-in.	(3.51m thru 3.73m)	30-in. (76.20cm)

Cabinet Cutout Location Code

Refer to the drawings on the opposite page to determine which panel, *Panel One* is.

The Chase is available with four panels no cutouts for cabinets. Or, various cabinet cutout combinations can be specified. *The following rules apply:*

- 1) Only one panel can be cut out for a lower cabinet. You cannot place a table on the panel with a lower cabinet cutout.
- **2)** One upper cabinet cutout can be in any panel. If two upper cabinet cutouts are preferred, they must be on opposing panels.
- **3)** Upper cabinets can be surface-mounted on any panel in any combination; no cabinet cutouts are required.

Specify a Location Code for all four panels of the chase; Panel One, position 4, Panel Two, position 5, Panel Three, position 6 and Panel Four, position 7.

LOCATION CODE	LOCATIONS
Panel One; first table is a	butted to
P/N Digit 3	
A	None
В	Cabinet Cut-Out Upper Section*
С	Option not available; location of first table
D	Option not available; location of first table
Panel Two	
P/N Digit 4	
A	None
В	Cabinet Cut-Out Upper Section*
C	Cabinet Cut-Out Lower Section**
D	Cabinet Cut-Out Upper & Lower Sections**
Panel Three	
P/N Digit 5	
A	None
В	Cabinet Cut-Out Upper Section*
С	Cabinet Cut-Out Lower Section**
D	Cabinet Cut-Out Upper & Lower Sections**
Panel Four	
P/N Digit 6	
A	None
В	Cabinet Cut-Out Upper Section*
С	Cabinet Cut-Out Lower Section**
D	Cabinet Cut-Out Upper & Lower Sections**

^{*} Upper cabinets may be located on one or both opposing panels.

Important: The following customer requirements, in addition to other customer requirements, must be satisfied prior to the beginning of manufacturing lead time:



SSCI laminated products are available in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

^{**} Lower cabinet located only on one panel.

Specify 4-digit Cabinet Cut-out Location code. See Chart above for Location Codes.

[†]Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

17

Imperial/Regal Lower Cabinets for Full-Height Chase

IMPERIAL/REGAL CABINETRY FEATURES THESE HIGH-QUALITY CONSTRUCTION DETAILS AND MATERIALS:

Lower and Upper Cabinet body panels are constructed of 45-lb. industrial-grade substrate, panels are machined on a CNC machine for accuracy. Panels are dadoed and rabbetted for tight-fitting joints. Joints are glued with adhesive impervious to liquids and mechanically-fastened to ensure a solid, sturdy cabinet.

All cabinet interiors are finished with Thermo-Fused Melamine, making them water, odor and chemical-resistant.

Drawer's steel sides feature integrated roller slides with baked-on, white epoxy finish. Drawer's back/bottom are .625-in. thick; open/close easily with 100 lb. load. 3D micro-adjustment ensures drawer alignment.

Door's positive-action, invisible hinges have self-closing mechanism, also holds door open. 3D micro-adjustment ensures door alignment.

Doors and drawer fronts have full width Aluminum Pulls.

All finished, exterior surfaces including the body's edges, drawer and cupboard door edges are laminated with high-pressure plastic laminate, available in SSCI Standard colors, or SSCI optional colors or choose from a spectrum of customer-selected colors to blend with your décor. Regal Lower and Upper Cabinet body panels are constructed of die-formed stainless steel, panels are formed on a CNC machine for accuracy. Panels are engineered for tight-fitting joints. Joints are welded and mechanically-fastened to ensure a solid, sturdy cabinet.

All cabinet interiors are stainless steel, making them impervious to water and absorbing odors.

Drawer's front is double-wall stainless steel construction with a full-width pull incorporated into the design. Welded, one-piece drawer body is stainless steel with roller telescoping slides allow drawers to fully open/close easily with 100 lb. load.

Doors are double-wall stainless steel construction with a full-width pull incorporated into the design and features positive-action invisible hinges which have self-closing mechanism, also holds door open. 3D microadjustment ensures door alignment.

Doors and drawer fronts have full width Stainless Steel Pulls.

All stainless steel exterior/interior is durable and easy to clean, satin finish.



"D"-Style Drawer and 1 Door Hinged Left or Right

Width: 24-in. (60.96cm) Height: 34.50-in.(87.63cm) Depth: 24-in. (60.96cm)

P/N
Hinged Left
Hinged Right

Imperial Laminated Cabinet; 1 Adjustable Shelf
ARDPAEAACDRFHDR -___† ARDQAEAACDRFHDR -___†
Regal Stainless Steel Cabinet; 1 Adjustable Shelf
NRDPAEAACDRFHDR
NRDPAEAACDRFHDR

"D"-Style Drawer and Pair of Doors

Width: 24-in. (60.96cm) Height: 34.50-in.(87.63cm) Depth: 24-in. (60.96cm)

P/N

Imperial Laminated Cabinet; 1 Adjustable Shelf ARDSAEAACDRFHDR -___† Regal Stainless Steel Cabinet; 1 Adjustable Shelf NRDSAEAACDRFHDR



Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

† Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.





1 Door Hinged Left or Right

Width: 24-in. (60.96cm) Height: 34.50-in. (87.63cm) Depth: 24-in. (60.96cm)

P/N Hinged Left

Hinged Right

Imperial Laminated Cabinet; 1 Adjustable Shelf
ARANAEAACDRFHDR -____† ARAOAEAACDRFHDR -____*

Regal Stainless Steel Cabinet; 1 Adjustable Shelf
NRANAEAACDRFHDR NRAOAEAACDRFHDR

Pair of Doors

Width: 24-in. (60.96cm) Height: 34.50-in. (87.63cm) Depth: 24-in. (60.96cm)

P/N

Imperial Laminated Cabinet; 1 Adjustable Shelf

ARAPAEAACDRFHDR -_ _ _ †

Regal Stainless Steel Cabinet; 1 Adjustable Shelf

NRAPAEAACDRFHDR





3 "F"-Style Drawers

Width: 24-in. (60.96cm) Height: 34.50-in. (87.63cm) Depth: 24-in. (60.96cm)

P/N

Imperial Laminated Cabinet
ARCBAEAACDRFHDR -___†
Regal Stainless Steel Cabinet
NRCBAEAACDRFHDR

4 "D"-Style Drawers

Width: 24-in. (60.96cm) Height: 34.50-in. (87.63cm) Depth: 24-in. (60.96cm)

P/N

Imperial Laminated Cabinet
ARCOAEAACDRFHDR -_ _ _ †
Regal Stainless Steel Cabinet
NRCOAEAACDRFHDR



in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

† Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available

Section 12

Imperial/Regal Upper Cabinets for Full-Height Chase

Open

Width: 24-in. (60.96cm) Height: 30-in. (76.20cm) Depth: 11.375-in. (28.89cm)

P/N

Imperial Laminated Cabinet; 2 Adjustable Shelves

AAAAAAAADREPBT -_ _ _ †

Regal Stainless Steel Cabinet; 2 Adjustable Shelves

NAAAAAAAADREPBT





Pair of Acrylic Sliding Doors

Choose Clear or Tinted Acrylic sliding doors.

Width: 24-in. (60.96cm) Height: 30-in. (76.20cm) Depth: 11.375-in. (28.89cm)

P/N Clear Glass doors	Tinted Acrylic doors
Imperial Laminated Cabinet	
AAABAGAAADREPBT †	AAABAHAAADREPBT †
Regal Stainless Steel Cabine	t
NAABAGAAADREPBT	NAABAHAAADREPBT

1 Door Hinged Left or Right

Width: 24-in. (60.96cm) Height: 30-in. (76.20cm) Depth: 12-in. (30.48cm)

P/N Hinged Left	Hinged Right
Imperial Laminated Cabinet	; 2 Adjustable Shelves
AAANAEAACDREPBV †	AAAOAEAACDREPBV †
Regal Stainless Steel Cabine	et; 2 Adjustable Shelves
NAANAEAACDREPBV	NAAOAEAACDREPBV





Pair of Doors

Width: 24-in. (60.96cm) Height: 30-in. (76.20cm) Depth: 12-in. (30.48cm)

P/N

Imperial Laminated Cabinet; 2 Adjustable Shelves

AAAPAEAACDREPBV - _ _ _ †

Regal Stainless Steel Cabinet; 2 Adjustable Shelves

NAAPAEAACDREPBV

End Panels

Finishes exposed ends of Upper Cabinets when surface-mounted to chase.

P/N		SIZE	
	Thickness	Height	Depth
Imperial Laminated			
DAOKAEAAAACEPBT†	.625 in. (1.59cm)	30 in. (76.20cm)	11.375 in.(28.89cm)
DAOKAEAAAACEPBV †	.625 in. (1.59cm)	30 in. (76.20cm)	12 in. (30.48cm)
Regal Stainless Steel			
QAOKAEAAAACEPBT	.625 in. (1.59cm)	30 in. (76.20cm)	11.375 in.(28.89cm)
QAOKAEAAAACEPBV	.625 in. (1.59cm)	30 in. (76.20cm)	12 in. (30.48cm)

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

† Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.



Section

12

In-Line Style, 1-Station Prep-Procedure/Treatment Center

7-ft. 6-in. (2.29m) W, 8-ft. 6-in.(2.59m) H, 2-ft. 6-in. (.76m) D



Imperial Prep-Procedure/Treatment Center Components

P/N	DESCRIPTION	LOCATION C	COLC ABINET	
Imperial (6 Recessed-End Prep-Procedure Tal	ole Panel 1	_	
1 door h	inged left, 4 drawers, knee space			
L10AA03D	0V0B1A5		†	
Imperial	Lower Cabinet,	Panel 2		
1 door h	inged left			
ARANAEA	ACDRFHDR		†	
Imperial	Upper Cabinet,	Panel 1		
open	**			
AAAAAAA	AADREPBT		†	
Imperial	Full-Height Chase, Cabinet Opening	s:		
panel one	upper, panel two lower			
HFBCAAA	AAEPPREP		†	
Faucet				
024601-E-	Z-ZZ-V084-E*			
Drain				
024647-Z-	Z-ZZ-ZZZZ-Z*			
*Faucet and	d Drain shown, sold separately, see Section	18 for selection.		

Regal Prep-Procedure/Treatment Center Components

P/N	DESCRIPTION	LOCATION CABII	COLOR NET TOP
Regal 6 Re	ecessed-End Prep-Procedure Table	Panel 1	
1 door hi	nged left, 4 drawers, knee space		
Y10AA03D	0V0B1A5		
Regal Low	ver Cabinet,	Panel 2	
1 door hi	nged left		
NRANAEAA	ACDRFHDR		
Regal Upp	er Cabinet,	Panel 1	
open			
NAAAAAA	ADREPBT		
Regal Full-	-Height Chase, Cabinet Openings:		
panel one	upper, panel two lower		
UFBCAAAA	AEPPREP		
Faucet			
024601-E-Z	Z-ZZ-V084-E*		
Drain			
024647-Z-Z	7-77-7777-2*		
*Faucet and	Drain shown, sold separately, see Section 1	8 for selection.	

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

†Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

In-Line Style, 2-Station Prep-Procedure/Treatment Center

12-ft. 8.625-in. (3.88m) W, 8-ft. 6-in.(2.59m) H, 2-ft. 6-in. (.76m) D



Imperial Prep-Procedure/Treatment Center Components

P/N	DESCRIPTION		LOCATION	COLO	OR
				CABINET	TOP
Imperial	6 Recessed-E	nd Prep-Procedure Ta	ble Panel 1		
knee spa	ace, 3 drawers	, 1 door hinged right			
L10AA04E	31U0E0A5			†	
Imperial	Recessed-End	d Treatment Table	Panel 3		
		drawers, knee space			
L60HG01	D0U0B1A5	Laminated Abutted T	- op	†	†
Imperial	Lower Cabin	et,	Panel 4		
1 D-style	e drawer, 1 do	or hinged right			
ARDQAEA	ACDRFHDR			†	
Imperial	Upper Cabin	et,	Panel 4		
open					
AAAAAAA	AADREPBT			†	
Imperial	Full-Height C	hase, Cabinet Opening	js:		
panel fou	ır lower, uppeı	r			
HFAAADA	AAEPPREP			†	
Faucet					
024601-E	-Z-ZZ-V084-E*				
Drain					
024647-Z	Z-ZZ-ZZZZ-Z [*]	+			
*Faucet an	nd Drain shown,	sold separately, see Section	n 18 for selection.		

Regal Prep-Procedure/Treatment Center Components

P/N	DESCRIPTION	LOCATION COLOR CABINET TOP
Regal 6 R	tecessed-End Prep-Procedure Table	e Panel 1
knee spa	ice, 3 drawers, 1 door hinged right	
Y10AA04B	1U0E0A5	
Regal Re	cessed-End Treatment Table	Panel 3
1 door h	ninged left, 4 drawers, knee space	
Y60HA01E	DOUOB1A5 Stainless Steel Abutted 7	Гор
Regal Lov	wer Cabinet,	Panel 4
1 D-style	drawer, 1 door hinged right	
NRDQAEA	ACDRFHDR	
Regal Up	per Cabinet,	Panel 4
open		
NAAAAA	AADREPBT	
Regal Ful	I-Height Chase, Cabinet Openings:	
panel four	r lower, upper	
UFAAADA	AAEPPREP	
Faucet		
024601-E-	Z-ZZ-V084-E*	
Drain		
024647-Z-	-Z-ZZ-ZZZZ-Z*	
*Faucet an	d Drain shown, sold separately, see Sectio	on 18 for selection.

SSCI laminated products are available

in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

†Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

L Shape, 2-Station Prep-Procedure/Treatment Center

7-ft. 8.625-in. (2.35m) W, 8-ft. 6-in.(2.59m) H, 7-ft. 6-in. (2.29m) W D



Imperial Prep-Procedure/Treatment Center Components

P/N	DESCRIF	TION	LOCATION	COLO	OR .
				CABINET	TOP
Imperial R	ecessed End	Treatment Table	Panel 1		
knee spac	e, 4 drawers,	1 door hinged right			
L60HG01B	IV0E0A5	Laminated Abutted To	р	†	†
Imperial 6	Recessed-En	d Prep-Procedure Tal	ole Panel 4		
1 door hi	nged left, 4 dr	awers, knee Space,			
L10AA03D0	OVOB1A5			†	
Imperial U	Jpper Cabine	t,	Panel 4		
open					
AAAAAAA	ADREPBT			†	
Imperial F	ull-Height Ch	ase, Cabinet Openings	s:		
panel four	upper				
HFAAABAA	AEPPREP			†	
Faucet					
024601-E-Z	Z-ZZ-V084-E*				
Drain					
024647-Z-2	<u>Z-ZZ-ZZZZ-Z</u> *				
*Faucet and	Drain shown, s	old separately, see Section	18 for selection.		

Regal Prep-Procedure/Treatment Center Components

P/N	DESCR	IPTION	ı	LOCATION CA	COLC ABINET	OR TOP
Regal Rec	cessed End T	reatment Table		Panel 1		_
knee spa	ce, 4 drawers	, 1 door hinged ri	ght			
Y60HA01B	31V0E0A5	Stainless Steel A	butted Top			
Regal 6 R	ecessed-End	Prep-Procedure	Table	Panel 4		
1 door h	inged left, 4 o	drawers, knee Spa	ce,			
Y10AA03D	00V0B1A5					
Regal Up	per Cabinet,			Panel 4		
open						
NAAAAA	AADREPBT					
Regal Ful	l-Height Cha	se, Cabinet Openi	ings:			
panel four	r upper					
UFAAABAA	AEPPREP					
Faucet						
024601-E-	Z-ZZ-V084-E*					
Drain						
024647-Z-	Z- <u>ZZ-ZZZ-Z</u>	k				
*Faucet and	d Drain shown,	sold separately, see	Section 18 fo	or selection.		

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

†Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

T Shape, 3-Station Prep-Procedure/Treatment Center

12-ft. 6-in. (3.81m) W, 8-ft. 6-in.(2.59m) H, 7-ft. 8.625-in. (2.35m) W D



Imperial Prep-Procedure/Treatment Center Components

ON	LOCATION	COLO)R
			TOP
		C, (DII 121	
atment Table	Panel 1		
oor hinged right			
aminated Abutted Top		†	†
e Prep-Procedure Ta	ble Panel 2		
oor hinged right			
		†	
rep-Procedure Table	Panel 4		
hinged right, knee spa	ice		
		†	
	Panel 1		
		†	
, Cabinet Openings:			
		†	
separately, see Section 18	for selection.		
	por hinged right rep-Procedure Table hinged right, knee spa c, Cabinet Openings:	atment Table Panel 1 por hinged right aminated Abutted Top the Prep-Procedure Table Panel 2 por hinged right rep-Procedure Table Panel 4 hinged right, knee space Panel 1	atment Table or hinged right aminated Abutted Top Perperocedure Table Panel 2 or hinged right rep-Procedure Table hinged right, knee space Panel 1 Panel 1 † Panel 1

Regal Prep-Procedure/Treatment Center Components

P/N DESCRIPTION	LOCATION CA	COLO BINET	OR TOP
Regal Recessed End Treatment Table	Panel 1		
knee space, 4 drawers, 1 door hinged right			
Y60HA01B1V0E0A5 Stainless Steel Abutted Top)		
Regal 6 Recessed-Middle Prep-Procedure Table	Panel 2		
4 drawers, knee space, 1 door hinged right			
Y15AA04V0B1E0A5			
Regal 6 Recessed End Prep-Procedure Table	Panel 4		
1 door hinged left, 1 door hinged right, knee space	e		
Y10HA01B1V0E0A5			
Regal Upper Cabinet,	Panel 1		
open			
Naaaaaaadrepbt			
Regal Full-Height Chase, Cabinet Openings:			
panel one upper			
UFBAAAAAAEPPREP			
Faucet			
024601-E-Z-ZZ-V084-E*			
Drain			
024647-Z-Z-ZZ-ZZZ-Z*			
*Faucet and Drain shown, sold separately, see Section 18 t	or selection.		

in SSCI standard laminates, SSCI optional laminates, or Customer selected laminates.

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time:

† Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

SSCI laminated products are available

+ Shape, 4-Station Prep-Procedure/Treatment Center

12-ft. 11.25-in. (3.94m) W, 8-ft. 6-in.(2.59m) H, 12-ft. 6-in. (3.81m) D



Imperial Prep-Procedure/Treatment Center Components

P/N **DESCRIPTION LOCATION** COLOR CABINET TOP Imperial 6 Recessed-End Prep-Procedure Table Panel 1 knee space, 3 drawers, 1 door hinged right, L10AA04B1U0E0A5 **Imperial Recessed End Treatment Table** Panel 2 knee space, 3 drawers, 1 door hinged left L60HG01D0U0B1A5 Laminated Abutted Top Imperial 6 Recessed-End Prep-Procedure Table Panel 3 knee space, 3 drawers, 1 door hinged right, L10AA04B1U0E0A5 **Imperial Recessed End Treatment Table** Panel 4 knee space, 3 drawers, 1 door hinged left Laminated Abutted Top L60HG01D0U0B1A5 Imperial Upper Cabinet, Panel 1 AAAAAAAAADREPBT Panel 3 Imperial Upper Cabinet, open AAAAAAAAADREPBT Imperial Full-Height Chase, Cabinet Openings: panel one upper, panel three upper HFBABAAAAEPPREP **Faucet** 024601-E-Z-ZZ-V084-E* Drain 024647-Z-Z-ZZ-ZZZ-Z* *Faucet and Drain shown, sold separately, see Section 18 for selection.

Regal Prep-Procedure/Treatment Center Components

P/N	DESCRIP	TION	LOCATION	COLC)R
				CABINET	ТОР
Regal 6 Red	cessed-End P	rep-Procedure Table	Panel 1		
knee space	e, 3 drawers,1	door hinged right,			
Y10AA04B1U	J0E0A5				
Regal Rece	ssed End Tre	atment Table	Panel 2		
		door hinged left			
Y60HA01D0		Stainless Steel Abutted	Тор		
		rep-Procedure Table	Panel 3		
•		door hinged right,			
Y10AA04B1U	0020/10		Panel 4		
Regal Rece	Regal Recessed End Treatment Table				
•		door hinged left			
Y60HA01D0		Stainless Steel Abutted			
Regal Uppe	er Cabinet,		Panel 1		
open					
NAAAAAAA					
Regal Uppe	er Cabinet,		Panel 3		
open					
NAAAAAAA					
-	-	, Cabinet Openings:			
•	pper, panel th	ree upper			
UFBABAAAA	EPPREP				
Faucet					
024601-E-Z-	ZZ-V084-E*				
Drain					
024647-Z-Z-					
*Faucet and L	Drain shown, so	old separately, see Section	18 for selection.		

Important: These customer order requirements, in addition to other customer order requirements, must be satisfied prior to the beginning of manufacturing lead time: † Specify 4-digit Color code. See Color Selections, Section A, pages 1 & 2 for Color Codes.

12

Design Service For Prep-Procedure/Treatment Center

THE PERFECT IMPERIAL MODULAR CABINET ARRANGEMENT IS JUST A PHONE CALL AWAY

SSCI's Design Service is offered to customers after discussing and agreeing on a viable project with an SSCI Representative. After a methodical review of the customer's needs for their facility, the SSCI Representative will present the project to our staff of designers to create a set of approval drawings. The drawings ensure that SSCI will

build exactly what the customer has discussed with the SSCI Representative. Once the customer has committed to purchase from SSCI and, if the drawings require revisions, the Final Approval Drawings will be created and presented to the customer for their approval. Other Customer Requirements may be required before manufacturing time can begin.

CREATING THE PERFECT PREP-PRO-CEDURE TREATMENT CENTER TAKES JUST 5 EASY STEPS:

Measure your space.

Obtain overall width, height and depth of the available space in your facility where you plan to place your Prep-Procedure/Treatment Center. Be sure to allow sufficient room at the end of all of the tables in the Center to work or permit gurney or equipment to clear.

- Choose the configuration of your Prep-Procedure/Treatment Center.
 - 1-Station, inline configuration,
 - 2-Station, inline or 'L' configurations,
 - 3-Station, 'T' configuration,
 - 4-Station, '+' configuration
- Specify the Tables.

Prep-Procedure and Treatment Tables are available in 2 sizes, in a various drawer/door combinations. See Sections 10 and 11 for complete specifications

Determine the position of any cabinet cutouts you require.

Countertop Chase is either none or one cutout. Full-Height Chase has many combinations, see Full-Height Chase Cutout Locations Chart, see Section 12.

Choose the cabinets for your Chase.Countertop Chases; specify a Base Cabinet/

Countertop Chases; specify a Base Cabinet,
Countertop and optional Upper Cabinet.
Full-Height Chase; specify optional Lower and
Upper Cabinets.

6 Choose the laminate for your Imperial Prep-Procedure/Treatment Center

All SSCI Laminated Products are available in SSCI standard laminates, SSCI optional laminates, or customer-selected laminates. See the Laminate Options pages in the Introductory Section.

Let us help you give your facility the professional appearance you deserve. An SSCI Representative will help you select configuration, tables, chase and sizes, laminate and countertop surfaces of your Prep-Procedure/Treatment Center to meet your unique needs, space requirements and budget.


Let SSCI assist your architect and to help plan the perfect facility.

It all starts with a phone call to discuss your requirements. Then we will create a CAD-generated drawing of your center, complete with faucets and drain selection.



Our team of experienced designers will work with your measurements, work center type, style and budget to create the perfect Prep-Procedure/Treatment Center for your requirements.

FOR EVERY PREP-PROCEDURE/TREATMENT CENTER PURCHASE SSCI CREATES A DRAWING TO ENSURE CUSTOMER'S SATISFACTION



SSCI creates an Approval Drawing for each Prep-Procedure/Treatment Center ordered. These detailed drawings of your Prep-Procedure/Treatment Center list chase, chases's cabinets and tables. Sizes, quantities and laminate choice* are also listed and illustrate how the center is to be assembled. If you choose to alter the positions of the tables or cabinets in the center or your choice of laminate*, do not sign the existing Approval Drawing. Contact your SSCI representative, so that a new Approval Drawing can be created.

All laminated and stainless steel Prep-Procedure/Treatment Center are non-stocked, made specifically per your specifications. Once SSCI has received the signed Approval Drawing the order is non-cancelable.

In addition to other customer order requirements, the Final Approval Drawings must be signed and received by SSCI prior to the beginning of manufacturing lead time.

*Not applicable for Regal stainless steel products

Design Service For Prep-Procedure/Treatment Center

SSCI DESIGNS ALL OF OUR CABINET AND TABLE PRODUCT LINES TO ALLOW INTEGRATION OF THE VARIOUS COMPONENTS FOR A VIRTUALLY ENDLESS NUMBER OF CONFIGURATIONS.

OUR DESIGN STAFF CAN ASSIST YOU OR YOUR ARCHITECT.



Cabinet Arrangement with Recessed End Treatment Table Abutted to Front Edge of Countertop

Let our design staff create a Prep-Procedure/Treatment Center integrated with our Modular Cabinetry. Using our standard tables and cabinets from this catalog, we can put together a variety of Prep-Procedure/Treatment/Storage options for your space.

Whether you're looking for a Prep-Procedure/Treatment Center with or without a Countertop Chase, or want to combine an Treatment or Prep-Procedure Table with Custom Cabinetry as shown here, SSCI can help. See Section 19, Undercounter Standard-Height Cabinets for cabinet selection and Sections 10 and 11 for Treatment and Prep-Procedure Tables selection.

Contact your SSCI Representative for to discuss the possibilities.



Cabinet Arrangement with
Recessed End Treatment Table
Abutted to Front Edge of Countertop



Cabinet Arrangement with
Recessed End Prep-Procedure and Treatment Tables
Abutted to Front Edge of Countertop