

"LEADER IN ANIMAL CARE PRODUCTS FOR OVER 60 YEARS"



SSCI

SUBURBAN SURGICAL Co., INC.

275 Twelfth Street, Wheeling, IL 60090

All intellectual material, including the text, graphics and other components of this catalog are Copyrighted by SSCI. Any use or duplication of these intellectual materials, without written consent by SSCI, is strictly forbidden.

Catalog No. 702488-0308

For Product Information Call TOLL-FREE 1-800-323-7366 • (847) 537-9320 • Fax (847) 537-9061
Hours: 8:30am - 5:00pm CST Monday - Friday
Visit our website at: www.suburbansurgical.com

FAUCETS AND ASSEMBLIES

**PROFESSIONAL QUALITY, RELIABLE PERFORMANCE, WIDE SELECTION
— JUST WHAT YOU'D EXPECT FROM SUBURBAN SURGICAL**



Back Splash-Mounted Faucets for Bathing Tables



Deck-Mounted Faucets for Prep-Procedure Tables



Splash Shield-Mounted Mixing Swivel Spout Faucets



Deck-Mounted Work Board Swivel Faucets



Side Shield-Mounted Mixing Faucet with Rinse



Center Splash Shield-Mounted Mixing Faucet with Rinse

With our broad selection of Faucets, you'll be sure to find the exact model to suit your needs. On the following pages, you'll find 26 different Deck-Mounted Faucets for Prep-Procedure Tables and 28 different Splash Shield-Mounted styles for Bathing Tables, all designed for years of dependable service.

Simply determine the type of Faucet you need, then choose the handle style and sprayer type you prefer. All our Faucets mount on an 8-in. (20.32cm) center.

We also have Electronic Sensor-activated Spouts, Knee-Activated Spouts and Foot-Activated Spouts.

Optional knee-action or foot-pedal faucet valves allow you to turn the water on and off without risking contaminating your hands. The faucet with the on/off sensor valve is even greater for contamination control.

Our newest Faucet is the Emergency Eye Wash Faucet which meets ANSI Z358.1-2009 and OSHA Code/Federal Regulation 29 CFR 1910.151 (c).

Please consult your local codes before installing any faucet in your facility.



Electronic Sensor-Activated Valve



Emergency Eye Wash Faucet



Knee-Activated Valve



Foot-Activated Valve

Deck-Mounted Faucets

WITH SO MANY CHOICES, IT'S EASY TO FIND THE RIGHT FAUCET FOR YOUR NEEDS.

3 HANDLE STYLES


Single lever handle lets you mix hot and cold for best temperature for the job.



3 SPRAYER STYLES


Thumb Sprayer is available with Deck-Mounted Faucets only.

Double Wrist Action Faucet Handles can be pushed on and off with your wrist for convenience.



Angled Sprayer offers greater versatility, designed for heavy-duty use.


Low-profile Double Lever Faucet Handles are easy to operate.



Straight Sprayer is designed for heavy-duty use.

2 SPOUT STYLES

Standard height nozzle swivels for convenience.



Swivel Gooseneck Spout for greater clearance.

Top-quality Faucets are mounted on 8-in. (20.32cm) centers and include these features:

Deck-Mounted Faucet for Prep-Procedure Tables

Splash Shield-Mounted Faucet for Bathing Tables



Angle Sprayer provides a high-pressure spray when handle is depressed. Water shuts off when handle is released.

Splash Shield-Mounted Faucets are designed to mount on the wall through the Splash Shield of your SSCI Bathing Table to maximize your tub space.

Flexible Extension Hose makes it easy to bring spout to where you need it.

Risers are available in two heights to get the hose up and out of the way.

Wall Bracket supports Riser.

Riser Faucet Swivel nozzle with aerator operates independently from sprayer, yet delivers water at the same temperature as sprayer.

Single Handle turns riser faucet on and off.

Faucet Handles are available in two styles: Lever style Wrist Action style (shown).

Straight Sprayer provides a high-pressure spray when handle is depressed. Water shuts off when handle is released.



Deck-Mounted Faucets are designed for use with all SSCI Prep-Procedure Tubs and Counter-top sinks.

Deck-Mounted Work Board Swivel Spouts Faucets




Lever Handle, Swivel Spout, Straight Sprayer

P/N	Description
024630-D-B-ZZ-S080-C	Lever handle, 8-in. (20.32cm) spread centers Swivel spout with aerator 6-in. (15.24cm) Straight sprayer Stainless steel sprayer hose 80-in. (203.20cm) L


Wrist Action Handle, Swivel Spout, Straight Sprayer

P/N	Description
024630-F-B-ZZ-S080-C	Wrist action handle, 8-in. (20.32cm) spread centers Swivel spout with aerator 6-in. (15.24cm) Straight sprayer Stainless steel sprayer hose 80-in. (203.20cm) L




Lever Handle, Swivel Spout, Angled Sprayer

P/N	Description
024630-D-B-ZZ-S080-A	Lever handle, 8-in. (20.32cm) spread centers Swivel spout with aerator 6-in. (15.24cm) Angled sprayer Stainless steel sprayer hose 80-in. (203.20cm) L



Wrist Action Handle, Swivel Spout, Angled Sprayer

P/N	Description
024630-F-B-ZZ-S080-A	Wrist action handle, 8-in. (20.32cm) spread centers Swivel spout with aerator 6-in. (15.24cm) Angled sprayer Stainless steel sprayer hose 80-in. (203.20cm) L



Deck-Mounted Work Board Swivel Gooseneck Faucets




Lever Handle, Swivel Gooseneck Spout, Straight Sprayer

P/N	Description
024630-D-M-ZZ-S080-C	Lever handle, 8-in. (20.32cm) spread centers Swivel gooseneck spout with aerator 6-in. (15.24cm) Straight sprayer Stainless steel sprayer hose 80-in. (203.20cm) L

Wrist Action Handle, Swivel Gooseneck Spout, Straight Sprayer

P/N	Description
024630-F-M-ZZ-S080-C	Wrist action handle, 8-in. (20.32cm) spread centers Swivel gooseneck spout with aerator 6-in. (15.24cm) Straight sprayer Stainless steel sprayer hose 80-in. (203.20cm) L




Lever Handle, Swivel Gooseneck Spout, Angled Sprayer

P/N	Description
024630-D-M-ZZ-S080-A	Lever handle, 8-in. (20.32cm) spread centers Swivel gooseneck spout with aerator 6-in. (15.24cm) Angled sprayer Stainless steel sprayer hose 80-in. (203.20cm) L

Wrist Action Handle, Swivel Gooseneck Spout, Angled Sprayer

P/N	Description
024630-F-M-ZZ-S080-A	Wrist action handle, 8-in. (20.32cm) spread centers Swivel gooseneck spout with aerator 6-in. (15.24cm) Angled sprayer Stainless steel sprayer hose 80-in. (203.20cm) L



Deck-Mounted Mixing Faucet With Rinse



**Lever Handle,
Riser & Bracket,
Straight Sprayer**



**Wrist Action
Handle,
Riser & Bracket,
Straight Sprayer**

P/N	Description
024636-D-Z-38-S072-C	Lever handle 8-in (20.32cm) spread centers 38-in (96.52cm) riser with mounting bracket Straight sprayer Stainless steel spray hose 72-in. (182.88cm) L

P/N	Description
024636-F-Z-38-S072-C	Wrist action handle 8-in (20.32cm) spread centers 38-in (96.52cm) riser with mounting bracket Straight sprayer Stainless steel spray hose 72-in. (182.88cm) L



**Lever Handle,
Riser & Bracket,
Angled Sprayer**



**Wrist Action
Handle,
Riser & Bracket,
Angled Sprayer**

P/N	Description
024636-D-Z-38-S072-A	Lever handle 8-in (20.32cm) spread centers 38-in (96.52cm) riser with mounting bracket Angled sprayer Stainless steel spray hose 72-in. (182.88cm) L

P/N	Description
024636-F-Z-38-S072-A	Wrist action handle 8-in (20.32cm) spread centers 38-in (96.52cm) riser with mounting bracket Angled sprayer Stainless steel spray hose 72-in. (182.88cm) L

Deck-Mounted Mixing Faucet With Rinse



**Lever Handle,
Riser with Bracket
& Faucet,
Straight Sprayer**

P/N	Description
024636-D-P-32-S072-C	Lever handle 8-in. (20.32cm) spread centers Riser & swivel faucet with aerator 6-in. (15.24cm) 38-in (96.52cm) riser with mounting bracket Straight sprayer Stainless steel spray hose 72-in. (182.88cm) L



**Wrist Action
Handle,
Riser with Bracket
& Faucet,
Straight Sprayer**

P/N	Description
024636-F-P-32-S072-C	Wrist action handle 8-in. (20.32cm) spread centers Riser & swivel faucet with aerator 6-in. (15.24cm) 38-in (96.52cm) riser with mounting bracket Straight sprayer Stainless steel spray hose 72-in. (182.88cm) L



**Lever Handle,
Riser with Bracket
& Faucet,
Angled Sprayer**

P/N	Description
024636-D-P-32-S072-A	Lever handle 8-in. (20.32cm) spread centers Riser & swivel faucet with aerator 6-in. (15.24cm) 38-in (96.52cm) riser with mounting bracket Angled sprayer Stainless steel spray hose 72-in. (182.88cm) L



**Wrist Action
Handle,
Riser with Bracket
& Faucet,
Angled Sprayer**

P/N	Description
024636-F-P-32-S072-A	Wrist action handle 8-in. (20.32cm) spread centers Riser & swivel faucet with aerator 6-in. (15.24cm) 38-in (96.52cm) riser with mounting bracket Angled sprayer Stainless steel spray hose 72-in. (182.88cm) L

Splash Shield-Mounted Mixing Swivel Spout Faucet



Lever Handle, Swivel Spout

P/N	Description
024633-D-A-ZZ-ZZZZ-Z	Lever handle, 8-in. (20.32cm) spread centers Swivel spout with aerator 6-in. (15.24cm)

Wrist Action Handle, Swivel Spout

P/N	Description
024633-F-A-ZZ-ZZZZ-Z	Wrist Action handle, 8-in. (20.32cm) spread centers Swivel spout with aerator 6-in. (15.24cm)



Lever Handle, Swivel Gooseneck Spout

P/N	Description
024633-D-M-ZZ-ZZZZ-Z	Lever handle, 8-in. (20.32cm) spread centers Swivel gooseneck spout with aerator 6-in. (15.24cm)

Wrist Action Handle, Swivel Gooseneck Spout

P/N	Description
024633-F-M-ZZ-ZZZZ-Z	Wrist Action handle, 8-in. (20.32cm) spread centers Swivel gooseneck spout with aerator 6-in. (15.24cm)



Splash Shield-Mounted Mixing Faucet with Rinse



**Lever Handle,
Riser & Bracket,
Straight Sprayer**

P/N	Description
024637-D-Z-38-S080-C	Lever handle 8-in (20.32cm) spread centers 38-in (96.52cm) riser with mounting bracket Straight sprayer Stainless steel spray hose 80-in. (203.20cm) L



**Wrist Action
Handle,
Riser & Bracket,
Straight Sprayer**

P/N	Description
024637-F-Z-38-S080-C	Wrist action handle 8-in (20.32cm) spread centers 38-in (96.52cm) riser with mounting bracket Straight sprayer Stainless steel spray hose 80-in. (203.20cm) L



**Lever Handle,
Riser & Bracket,
Angled Sprayer**


P/N	Description
024637-D-Z-38-S080-A	Lever handle 8-in (20.32cm) spread centers 38-in (96.52cm) riser with mounting bracket Angled sprayer Stainless steel spray hose 80-in. (203.20cm) L




**Wrist Action
Handle,
Riser & Bracket,
Angled Sprayer**

P/N	Description
024637-F-Z-38-S080-A	Wrist action handle 8-in (20.32cm) spread centers 38-in (96.52cm) riser with mounting bracket Angled sprayer Stainless steel spray hose 80-in. (203.20cm) L

Splash Shield-Mounted Mixing Faucet with Rinse



**Lever Handle,
Riser with Bracket
& Faucet,
Straight Sprayer**



**Wrist Action
Handle,
Riser with Bracket
& Faucet,
Straight Sprayer**

P/N	Description
024637-D-P-32-S080-C	Lever handle 8-in. (20.32cm) spread centers Riser & swivel faucet with aerator 6-in. (15.24cm) 38-in (96.52cm) riser with mounting bracket Straight sprayer Stainless steel spray hose 80-in. (203.20cm) L

P/N	Description
024637-F-P-32-S080-C	Wrist action handle 8-in. (20.32cm) spread centers Riser & swivel faucet with aerator 6-in. (15.24cm) 38-in (96.52cm) riser with mounting bracket Straight sprayer Stainless steel spray hose 80-in. (203.20cm) L



**Lever Handle,
Riser with Bracket
& Faucet,
Angled Sprayer**



**Wrist Action
Handle,
Riser with Bracket
& Faucet,
Angled Sprayer**

P/N	Description
024637-D-P-32-S080-A	Lever handle 8-in. (20.32cm) spread centers Riser & swivel faucet with aerator 6-in. (15.24cm) 38-in (96.52cm) riser with mounting bracket Angled sprayer Stainless steel spray hose 80-in. (203.20cm) L

P/N	Description
024637-F-P-32-S080-A	Wrist action handle 8-in. (20.32cm) spread centers Riser & swivel faucet with aerator 6-in. (15.24cm) 38-in (96.52cm) riser with mounting bracket Angled sprayer Stainless steel spray hose 80-in. (203.20cm) L

Side Splash Shield-Mounted Mixing Faucet with Rinse



**Lever Handle,
Single Lever Faucet,
Swivel Spout,
Straight Sprayer**

P/N	Description
024632-D-Q-EA-S072-D	Lever handle 8-in. (20.32cm) spread centers Single lever faucet Swivel spout with aerator 12-in. (30.48cm) Straight sprayer with hanger hook Stainless steel spray hose 72-in. (182.88cm) L



**Wrist Action Handle,
Single Lever Faucet,
Swivel Spout,
Straight Sprayer**

P/N	Description
024632-F-Q-EA-S072-D	Wrist action handle 8-in. (20.32cm) spread centers Single lever faucet Swivel spout with aerator 12-in. (30.48cm) Straight sprayer with hanger hook Stainless steel spray hose 72-in. (182.88cm) L



**Lever Handle,
Single Lever Faucet,
Swivel Spout,
Angled Sprayer**


P/N	Description
024632-D-Q-EA-S072-B	Lever handle 8-in. (20.32cm) spread centers Single lever faucet Swivel spout with aerator 12-in. (30.48cm) Straight sprayer with hanger hook Stainless steel spray hose 72-in. (182.88cm) L




**Wrist Action
Handle,
Single Lever Faucet,
Swivel Spout,
Angled Sprayer**

P/N	Description
024632-F-Q-EA-S072-B	Wrist action handle 8-in. (20.32cm) spread centers Single lever faucet Swivel spout with aerator 12-in. (30.48cm) Straight sprayer with hanger hook Stainless steel spray hose 72-in. (182.88cm) L

Back Splash Shield-Mounted Mixing Faucet with Rinse




**Lever Handle,
Single Lever Faucet,
Swivel Spout,
Straight Sprayer**




**Wrist Action
Handle,
Single Lever Faucet,
Swivel Spout,
Straight Sprayer**

P/N	Description
024632-D-Q-EA-S048-D	Lever handle 8-in (20.32cm) spread centers Single lever faucet Swivel spout with aerator 12-in. (30.48cm) Straight sprayer with hanger hook Stainless steel spray hose 48-in. (121.92cm) L

P/N	Description
024632-F-Q-EA-S048-D	Wrist action handle 8-in (20.32cm) spread centers Single lever faucet Swivel spout with aerator 12-in. (30.48cm) Straight sprayer with hanger hook Stainless steel spray hose 48-in. (121.92cm) L



**Lever Handle,
Single Lever Faucet,
Swivel Spout,
Angled Sprayer**



**Wrist Action
Handle,
Single Lever Faucet,
Swivel Spout,
Angled Sprayer**

P/N	Description
024632-D-Q-EA-S048-B	Lever handle 8-in (20.32cm) spread centers Single lever faucet Swivel spout with aerator 12-in. (30.48cm) Angled sprayer with hanger hook Stainless steel spray hose 48-in. (121.92cm) L

P/N	Description
024632-F-Q-EA-S048-B	Wrist action handle 8-in (20.32cm) spread centers Single lever faucet Swivel spout with aerator 12-in. (30.48cm) Angled sprayer with hanger hook Stainless steel spray hose 48-in. (121.92cm) L

Electronic Sensor-activated Valve

Rigid Gooseneck Spout with Aerator is controlled by an Electronic Sensor Valve. Adjustable valve mixes hot and cold water supply together. Simply place your hands in front of the sensor to turn the water on. Powered by 120V/240V AC transformer that plugs into a wall outlet or DC requiring four "AA" cell batteries



P/N	DESCRIPTION
024652-Z-R-ZZ-ZZZZ-Z	Rigid Gooseneck Spout and Valve



Knee-Activated Valve

Rigid Gooseneck Spout is controlled by Knee-Action Valve. Adjustable valve mixes hot and cold water supply together. Bracket mounts valve on wall at the height you desire. Valve's body is chrome-plated brass. Purchase Spout and Valve together.

P/N	DESCRIPTION
024642-Z-R-ZZ-ZZZZ-Z	Rigid Gooseneck Spout with Aerator
024645-Z-Z-ZZ-ZZZZ-Z	Knee-action Faucet Valve

Foot-Activated Valve


Rigid Gooseneck Spout is controlled by Foot-Action Valve. Valve mounts to wall, positioning pedals just above floor. Hot and cold water supply are controlled by individual foot pedals. Valve's body is chrome-plated brass. Purchase Spout and Valve together.



P/N	DESCRIPTION
024642-Z-R-ZZ-ZZZZ-Z	Rigid Gooseneck Spout with Aerator
024646-Z-Z-ZZ-ZZZZ-Z	Wall-mounted Foot-pedal Faucet Valve

Emergency Eye Wash

Emergency Eye Wash is now available on both our single and dual station scrub sinks... Innovative design keeps eye wash flow closed while in the raised position. When water flow is required, simply rotate the eye wash faucet down and water flow begins immediately. Improving safety at your facility is as easy as 1-2-3...



Our 16-gauge, Type 304 Stainless Steel Surgeon Scrub Sinks are fully heli-arc welded into one piece to create the strongest Surgeon Scrub Sink available.

Welds are continuous, crevice-free and ground smooth. Coved corners eliminate areas where dirt and debris accumulate. Radius bends on bottom and all sides and a uniform, non-glare finish results in a tub interior that is easy to clean.

Scrub Sinks feature a 10.50-in. (26.67cm) deep basin, a 12-in. (30.48cm) high back splash. The Surgeon Scrub Sink is designed to accept a back splash-mounted goose neck faucet, eye wash faucet and 3.5-in. (8.89cm) drain. Stainless Steel Wall-Mounted Brackets are included.


Meets ANSI Z358.1-2009 and OSHA Code/Federal Regulation 29 CFR 1910.151 (c)

P/N	DESCRIPTION
024654-Z-Z-ZZ-ZZZZ-Z	Eye Wash Faucet/Chrome
024655-Z-Z-ZZ-ZZZZ-Z	Eye Wash Faucet/Stainless Steel
024656-Z-Z-ZZ-ZZZZ-Z	Thermostatic Mixing Valve
Surgeon Scrub Sinks	
13320-01-EPDMCX	Single-Station, Gooseneck & Eye Wash Compatible
13321-01-HJDMCX	Dual-Station, Gooseneck & Eye Wash Compatible

Deck-Mounted Single-lever Faucet

8-in. (20.32cm) centers. Single-lever faucet handle delivers mixed hot and cold water to give you the ideal temperature for the task at hand. Nozzle swivels for convenience.

P/N	Description
024601 E-Z-ZZ-ZZZZ-Z	Faucet
024601-E-Z-ZZ-V084-E	Faucet with Thumb Sprayer Valve with 84-in. (213.36cm) L Vinyl Hose



024601-E-Z-ZZ-V084-E



Splash Shield-Mounted Mixing Faucet

1 Hole MTG with a single knob handle, 24" riser with a 80" long stainless steel sprayer hose and straight sprayer.

P/N	DESCRIPTION
Mixing Faucet	
024654-H-Z-24-S080-C	Faucet Sprayer with 80-in. (203.20 cm) long coiled vinyl hose

Basket Strainer Drain Cover

Fits the drain in all SSCI tubs and sinks. Stainless steel construction stands up to years of use.

P/N	Description
024647-Z-Z-ZZ-ZZZZ-Z	Basket Strainer Drain Cover

